steinhauer
LIGHTING







CATALOGUE 2026 - 2027

STEINHAUER - ANNE LIGHT - MEXLITE

Steinhauer BV
Laan van de Ram 40
7324 BV Apeldoorn
T. +31(0)55 582 28 58
E-Mail: info@steinhauer.nl
W. www.steinhauer.nl

Sales Netherlands, Belgium:
Nico van Hierden
T. +31(0)6 224 616 06
E-Mail: n.vanhierden@steinhauer.nl

Sales Netherlands:
Daan Streur
T. +31(0)6 101 696 15
E-Mail: d.streur@steinhauer.nl

Sales Netherlands:
Patrick Scholten
T. +31(0)6 220 802 94
E-Mail: p.scholten@steinhauer.nl

Sales Germany, Luxembourg:
Bernd Spiekermann
T. +49(0)293 290 074 05
H. +49(0)171 507 68 85
E-Mail: b.spiekermann@steinhauer-leuchten.de

Sales Berlin, Baden Württemberg, Austria, Switzerland:
Jonas Spiekermann
H. +49(0)178 638 17 69
E-Mail: j.spiekermann@steinhauer-leuchten.de

Projects:
Hans Rodink
T. +31(0)6 512 594 29
E-Mail: h.rodink@steinhauer.nl



Licht met een oorsprong
The story behind the light
Leuchten mit Anspruch
La lumière avec une origine



Steinhauer ontwerpt en ontwikkelt al drieënnegentig jaar verlichtingsarmaturen.

Het voortdurend creatief toepassen van trends is, mede dankzij onze ervaring, ons handelsmerk geworden. Steinhauer is niet alleen in staat om armaturen een eigen gezicht te geven; het is minstens zo belangrijk dat de producten voldoen aan de laatste normen, eisen en richtlijnen.



Hendrik Jan Steinhauer founder 1933


Flexibiliteit in ontwerp en productie bepaalt ons succes. Om daaraan te kunnen voldoen hebben wij alle fasen van het productieproces in eigen beheer: van ontwerp en ontwikkeling tot productie.

Steinhauer has been designing and developing lighting fixtures for ninety-three years

The continuous creative application of trends has become our trademark, thanks to our experience. Besides being capable of making unique and recognizable fittings, it is equally important that our products meet the latest standards, requirements and guidelines. Flexibility in design and production is what determines our success. To be able to suffice this we manage all stages of the production process from design through to development and production.

Steinhauer entwirft und entwickelt seit dreiundneunzig Jahren Leuchten.

Das konsequente und kreative Einspielen auf Trends wurde, auch aufgrund unserer Erfahrung, zu unserem Warenzeichen. Steinhauer verleiht Leuchten nicht nur eine spezielle Optik, ebenso wichtig ist, dass die Leuchten die aktuellen Normen, Anforderungen und Richtlinien einhalten.
Flexibilität in Bezug auf Entwurf und Produktion ist maßgebend für unseren Erfolg. Um dieser Forderung nach Flexibilität entsprechen zu können, haben wir alle Schritte im Produktionsverfahren unter eigener Kontrolle: von Entwurf und Entwicklung bis hin zu Produktion und Transport. Steinhauer bringt Licht in Ihr Leben.



Paul Steinhauer senior

Steinhauer conçoit et développe des luminaires depuis quatre-vingt-treize ans.

Riches d'une longue expérience, nous avons su faire évoluer nos créations en suivant les tendances. Ceci est devenu notre marque de fabrique.
Chez Steinhauer, nous ne nous contentons pas de designer des luminaires tendance, nous leur offrons une apparence unique. La clé de notre succès réside dans notre flexibilité lors de la conception et de la production.

Afin de satisfaire cette exigence de flexibilité, nous gérons de bout en bout l'ensemble du processus de fabrication, de la conception au transport, en passant bien entendu par la production.






Internationale beurzen
International fairs
Internationale Messen
Foires internationales





Ontwerpen met passie!
Designing with passion!
Gestalten mit Leidenschaft!
Conception avec passion!


Mark Steinhauer
CEO



Mijn visie op het samenstellen van een collectie:

We investeren in eigen ontwerp, ontwikkeling en productie en creëren daarmee onze eigen identiteit, herkenbaar voor onze klanten.

Onze catalogus geeft u een goed beeld van onze complete collectie. Steinhauer streeft altijd naar een nieuw licht op armaturen.

Meine Vision von der Gestaltung einer Kollektion:

Wir investieren in eigene Entwürfe und in die Entwicklung und Produktion. Wir kreieren somit unsere eigene Identität, erkennbar für unsere Kunden.
Unser Katalog gibt Ihnen ein gutes Bild von unserer gesamten Kollektion.
Steinhauer strebt immer nach Leuchten, die Ausdruck von Individualität und einem eigenen Lebensgefühl sind.


My vision of assembling a collection:

We invest in our own design, development and production through which our specific identity is easily recognizable to our clients.

Our catalogue gives a clear view of our whole collection. Steinhauer always moves forward to create new light!

Ma vision sur la création d'une collection:

Nous investissons dans nos idées, dans notre développement et dans notre production. Nous créons ainsi notre propre identité, reconnaissable et identifiable par nos clients. Notre catalogue vous offre une idée de l'ensemble de notre collection. Steinhauer cherche toujours à concevoir de surprenants luminaires.



INDEX STEINHAUER COLLECTION

pages 14 to 295

Alisio 159
Ancilla 168
Anthea 210
Bande 68
Belleron 214
Belluno 20
Bikkel 195
Bloeba 255
Bollique 131
Breeza Beach 221
Ceiling panels 292
Daphne 2 63
Downlume 181
Elegant Classy 226
Flady 117
Fluxy 15
Glaslic 166
Globe Black 252
Golden veil 115
Halo Cirque 193
Karol 74
Krisip 190
Lido 121
Litho 81
Luma Dark 240
Luma Nola 241
Luminix 123
Luzhaz 80
Maze Natural 243
Muro 85
Mykty 17
Natasja 185
Nox Light 216
Outdoor collection 286
Pelite spot 187
Pimpernel 206
Pintino 208
Prestige Chic 257
Reflexion 124
Retina 37
Ringlede 90
Ringlux 102
Semicirkel 194
Serenade 82
Silva Alba 250
Soleil 40
Soleil 2 42
Sparkled Light 229
Spring 202
Stang 261
Tor 178
Tubel 179
Turound 29
Vela Lino 247
Volari 150
Yorkshire 177
Zelena 76
Zenith 2 48



Pag. 15
Fluxy



Pag. 17
Mykty




Pag. 20
Belluno



Pag. 29
Turound



Pag. 37
Retina



Pag. 40 / 42
Soleil / Soleil2



Pag. 48
Zenith 2



Pag. 63
Daphne 2



Pag. 68
Bande



Pag. 74
Karol



Pag. 76
Zelena




Pag. 80 / 81
Luzhaz / Litho



Pag. 82
Serenade



Pag. 85
Muro



Pag. 90 / 102
Ringlede / Ringlux



Pag. 115
Golden veil



Pag. 117
Flady



Pag. 121 / 123
Lido / Luminix



Pag. 124 / 131
Reflexion / Bollique



Pag. 150
Volari




Pag. 159
Alisio



Pag. 166
Glaslic



Pag. 168 / 177
Ancilla / Yorkshire



Pag. 178 / 179
Tor / Tubels



Pag. 181
Downlume



Pag. 185
Natasja



Pag. 187
Pelite spot



Pag. 190
Krisip



Pag. 193
Halo Cirque



Pag. 194
Semicirkel



Pag. 195
Bikkel



Pag. 202
Spring



Pag. 206
Pimpernel



Pag. 208
Pintino



Pag. 210
Anthea



Pag. 214
Belleron




Pag. 216
Nox Light



Pag. 221
Breeza Beach



Pag. 226
Elegant Classy



Pag. 229
Sparkled Light

Pag. 240 / 241
Luma Dark / Luma Nola

Pag. 243
Maze Natural

Pag. 247
Vela Lino

Pag. 250
Silva Alba

Pag. 252
Globe Black

Pag. 255
Bloeba

Pag. 257
Prestige Chic

Pag. 261
Stang

Pag. 286 / 292
Outdoor collection / Ceiling panels

INDEX ANNE COLLECTION


pages 298 to 335

Animaux 319
Aura 309
Bangalore 310
Brassi 335
Clearvoyand 307
Curve 320
Fjorgard 300
Flinter 304
Frisk 306
LumaFlora 311
Maze 324
Mush 298
Preto 303
Ropex 328
Sable 317
Silva 333
Travino 312
ZigZag 322



Pag. 298

Mush



Pag. 300

Fjorgard



Pag. 303

Preto



Pag. 304

Flinter



Pag. 306

Frisk



Pag. 307

Clearvoyant



Pag. 309

Aura



Pag. 310

Bangalore



Pag. 311

LumaFlora



Pag. 312

Travino



Pag. 317

Sable



Pag. 319

Animaux



Pag. 320

Curve



Pag. 322

ZigZag



Pag. 324

Maze



Pag. 328

Ropex



Pag. 333

Silva



Pag. 335

Brassi

anne™ lighting



INDEX MEXLITE COLLECTION


pages 338 to 452

Aurelio 426
Belana 452
Bella 404
Biron 362
Bjorr 393
Blackmoon 390
Brightline 339
Buckley 400
Carree 402
Cera 391
Danske 340
Davin 374
Densi 396
Dion 394
Drovia 429
Eden 388
Fez 434
Forma 419
Gaeve 397
Gearwood 439
Glimsy 384
GlowGo 358
Grazio Glass 382
Karl 360
Kora 350
Lisanne 399
Lumex 342
Lumo 353
Luna-Arc 343
Noor 409
Nove 376
Oeroe 372
Pentra 369
Platu 345
Prato 370
Sferio 430
Silura 423
Solva 413
Stekk 347
Study 383
Sumba 420
Synna 348
Tenebris 386
Triek 417
Upround 437
Volcan 448



Pag. 339

Brightline



Pag. 340

Danske



Pag. 342

Lumex



Pag. 343

Luna-Arc



Pag. 345

Platu



Pag. 347

Stekk



Pag. 348

Synna



Pag. 350

Kora



Pag. 353

Lumo



Pag. 358

GlowGo



Pag. 360

Karl



Pag. 362

Biron



Pag. 369

Pentra



Pag. 370

Prato



Pag. 372

Oeroe



Pag. 374

Davin



Pag. 376

Nove



Pag. 382

Grazio Glass



Pag. 383

Study



Pag. 384

Glimsy



Pag. 386

Tenebris



Pag. 388

Eden



Pag. 390

Blackmoon



Pag. 391

Cera



Pag. 393

Bjorr



Pag. 394

Dion



Pag. 396

Densi



Pag. 397

Gaeve



Pag. 399

Lisanne



Pag. 400

Buckley



Pag. 402

Carree



Pag. 404

Bella



Pag. 409

Noor



Pag. 413

Solva



Pag. 417

Triek



Pag. 419

Forma



Pag. 420

Sumba



Pag. 423

Silura



Pag. 426

Aurelio



Pag. 429

Drovia

Pag. 430

Sferio

Pag. 434

Fez

Pag. 437

Upround

Pag. 439

Gearwood

Pag. 448


Volcan

Pag. 452

Belana


MEXLITE™












Fluxy

Article	Electrification	L x W x H	Extra information
4189	27W	120 x 9 x 40-160	2700 Kelvin, 2700 Lumen, CRI90, cable-lift, motion dimmers, up- and down light separately stepless dimmable
4190	39W	165 x 9 x 40-160	2700 Kelvin, 4000 Lumen, CRI90, cable-lift, motion dimmers, up- and down light separately stepless dimmable

Cable-lift



4203ZW



4201ZW

BUILD-IN REPLACEABLE LED MODULE BY STEINHAUER LIGHTING

Mykty

Article	Electrification	L x W x H	Extra information
4201ZW	40W	Ø40 x 170	2300 - 2500 - 2700 Kelvin, 5200 Lumen, 3 steps color adjustable, CRI90, floor dimmer
4203ZW	60W	Ø60 x 40-130	2700 Kelvin, 7800 Lumen, CRI90, dimmable driver, cable-lift







Mykty

Article	Electrification	L x W x H	Extra information
4204ZW	25W + 25W	95 x 30 x 60-130	2700 Kelvin, 6500 Lumen, CRI90, dimmable driver, matt black, cable-lift
4205ZW	80W	120 x 35 x 60-130	2700 Kelvin, 10500 Lumen, CRI90, dimmable driver, matt black, cable-lift

BUILD-IN REPLACEABLE LED MODULE BY STEINHAUER LIGHTING

Cable-lift

DIM TO WARM
BY STEINHAUER LIGHTING

BUILD-IN REPLACEABLE LED MODULE
BY STEINHAUER LIGHTING



4585ME



4587ME



4590ME




4589ME

Belluno

Article	Electrification	L x W x H	Extra information
4585ME	5 x 9W	Ø35 x 40-230	2200-2700 Kelvin, 4950 Lumen, CRI90, dimmable driver, cable-lift
4586ME	5 x 9W	110 x 11 x 25 -150	2200-2700 Kelvin, 4950 Lumen, CRI90, dimmable driver, cable-lift
4587ME	9W	Ø10 x 25 -150	2200-2700 Kelvin, 990 Lumen, CRI90, dimmable driver, cable-lift
4589ME	9W	20 x 14 x 42	2200-2700 Kelvin, 990 Lumen, CRI90, push dimmer
4590ME	3 x 9W	23 x 23 x 150	2200-2700 Kelvin, 2970 Lumen, CRI90, push dimmer




Cable-lift



4586ME

steinhauer LIGHTING exclusive



Belluno

Article	Electrification	L x W x H	Extra information
4588ME	9W	15 x 13 x 13	2200-2700 Kelvin, 990 Lumen, CRI90, push dimmer
4591ME	8 x 9W	100 x 32 x 25 -150	2200-2700 Kelvin, 7920 Lumen, CRI90, dimmable driver, cable-lift
4592ME	8 x 9W	115 x 15 x 25 -150	2200-2700 Kelvin, 7920 Lumen, CRI90, dimmable driver, cable-lift











Cable-lift



4585ZW



4590ZW



4588ZW



4589ZW

Cable-lift



4587ZW

Belluno

Article	Electrification	L x W x H	Extra information
4585ZW	5 x 9W	Ø35 x 40-230	2200-2700 Kelvin, 4950 Lumen, CRI90, dimmable driver, cable-lift
4587ZW	9W	Ø10 x 25 -150	2200-2700 Kelvin, 990 Lumen, CRI90, dimmable driver, cable-lift
4588ZW	9W	15 x 13 x 13	2200-2700 Kelvin, 990 Lumen, CRI90, push dimmer
4589ZW	9W	20 x 14 x 42	2200-2700 Kelvin, 990 Lumen, CRI90, push dimmer
4590ZW	3 x 9W	23 x 23 x 150	2200-2700 Kelvin, 2970 Lumen, CRI90, push dimmer



Belluno

Article	Electrification	L x W x H	Extra information
4586ZW	5 x 9W	110 x 11 x 25 -150	2200-2700 Kelvin, 4950 Lumen, CRI90, dimmable driver, cable-lift
4591ZW	8 x 9W	100 x 32 x 25 -15	2200-2700 Kelvin, 7920 Lumen, CRI90, dimmable driver, cable-lift
4592ZW	8 x 9W	115 x 15 x 25 -150	2200-2700 Kelvin, 7920 Lumen, CRI90, dimmable driver, cable-lift

steinhauer LIGHTING exclusive



Cable-lift



DIM TO WARM BY STEINHAUER LIGHTING


LED BUILD-IN REPLACEABLE LED MODULE BY STEINHAUER LIGHTING

















Turound

Article	Electrification	L x W x H	Extra information
2663ZW	10W + 40W	27 x 58 x 187	2200 - 4000 Kelvin, 1000 + 4000 Lumen, CRI90, push dimmers, light color adjustable
2734ZW	10W	62 x 20 x 17	2200 - 4000 Kelvin, 1000 Lumen, CRI90, push dimmer, light color adjustable
3082ZW	10W	56 x 100-140	2200 - 4000 Kelvin, 1000 Lumen, CRI90, push dimmer, light color adjustable





3512ZW









2993ZW

Turound

Article	Electrification	L x W x H	Extra information
2993ZW	40W	Ø27 x 187	2200-4000 Kelvin, 4000 Lumen, CRI90, push dimmer, light color adjustable
3512ZW	4 x 10W	120 x 16 x 80-122	2200-4000 Kelvin, 4000 Lumen, CRI90, push dimmer, light color adjustable



Turound

Article	Electrification	L x W x H	Extra information
2560ST	10W + 40W	27 x 58 x 187	2200-4000 Kelvin, 1000 + 4000 Lumen, CRI90, push dimmers, light color adjustable
2733ST	10W	62 x 20 x 17	2200-4000 Kelvin, 1000 Lumen, CRI90, push dimmer, light color adjustable
3081ST	10W	56 x 100-140	2200-4000 Kelvin, 1000 Lumen, CRI90, push dimmer, light color adjustable

BUILD-IN REPLACEABLE LED MODULE
BY STEINHAUER LIGHTING

COLOUR ADJUSTABLE

steinhauer LIGHTING exclusive





















Turound

Article	Electrification	L x W x H	Extra information
2992ST	40W	Ø27 x 187	2200-4000 Kelvin, 4000 Lumen, CRI90, push dimmer, light color adjustable
3512ST	4 x 10W	120 x 16 x 80-122	2200-4000 Kelvin, 4000 Lumen, CRI90, push dimmer, light color adjustable







Turound

Article	Electrification	L x W x H	Extra information
2663BR	10W + 40W	27 x 58 x 187	2200 - 4000 Kelvin, 1000 + 4000 Lumen, CRI90, push dimmers, light color adjustable
3082BR	10W	56 x 100-140	2200 - 4000 Kelvin, 1000 Lumen, CRI90, push dimmer, light color adjustable









2 charging ports





Retina

Article	Electrification	L x W x H	Extra information
3083BR	10W	23 x 60 x 100-125	2200-4000 Kelvin, 1000 Lumen, CRI90, push dimmer, dim to warm,
3402BR	10W	26-45 x 11 x 16	2200-4000 Kelvin, 1000 Lumen, CRI90, push dimmer, dim to warm, USB-A and USB-C port



3402ZW



3402ST



3083ZW









2 charging ports



3083ST

Retina

Article	Electrification	L x W x H	Extra information
3083	10W	23 x 60 x 100-125	2200-4000 Kelvin, 1000 Lumen, CRI90, push dimmer, dim to warm,
3402	10W	26-45 x 11 x 16	2200-4000 Kelvin, 1000 Lumen, CRI90, push dimmer, dim to warm, USB-A and USB-C port

Rechargeable and cordless reading lamp

Operating time at full power
with 100% battery power 8H.



BUILD-IN REPLACEABLE LED MODULE
BY STEINHAUER LIGHTING

COLOUR ADJUSTABLE


2 batteries LI Ion,
3,7V/8000mAh, 29,6Wh.


Floor stand battery charger






3515GO


3515CR


3515CH


3515BR


3515ST


steinhauer LIGHTING exclusive


Soleil

Article	Electrification	L x W x H	Extra information
3515	7W	Ø20 x 55 x 106-144	2200-4000 Kelvin, 900 Lumen, energy class E, CRI90, light color adjustable, memory touch dimmer



Cable-lift





steinhauer LIGHTING exclusive


5 YEARS WARRANTY





BUILD-IN REPLACEABLE LED MODULE BY STEINHAUER LIGHTING

COLOUR ADJUSTABLE BY STEINHAUER LIGHTING





Soleil 2

Article	Electrification	L x W x H	Extra information
4140ZW	40W	Ø32 x 60-130	2200 - 4000 Kelvin, 4000 Lumen, CRI90, dimmable driver, dim to warm, cable-lift
4386ZW	40W + 10W	32 x 76 x 185	2200 - 4000 Kelvin, 6500 Lumen, CRI90, light color adjustable, remote control
4387ZW	10W	105 x 180 x 51	2200 - 4000 Kelvin, 1300 Lumen, CRI90, light color adjustable, remote control
4388ZW	30W + 10W	35 x 58 x 183	2200 - 4000 Kelvin, 5200 Lumen, CRI90, light color adjustable. remote control
4389ZW	10W	23 x 48 x 135	2200 - 4000 Kelvin, 1300 Lumen, CRI90, light color adjustable. remote control
4865ZW	10W	20 x 70 x 84	2200 - 4000 Kelvin, 1300 Lumen, CRI90, light color adjustable, remote control


Cable-lift



4387BR



4140BR





4389BR



4386BR





4388BR


Soleil 2

Article	Electrification	L x W x H	Extra information
4140BR	40W	Ø32 x 60-130	2200 - 4000 Kelvin, 4000 Lumen, CRI90, dimmable driver, dim to warm, cable-lift
4386BR	40W + 10W	32 x 76 x 185	2200 - 4000 Kelvin, 6500 Lumen, CRI90, light color adjustable, remote control
4387BR	10W	105 x 180 x 51	2200 - 4000 Kelvin, 1300 Lumen, CRI90, light color adjustable, remote control
4388BR	30W + 10W	35 x 58 x 183	2200 - 4000 Kelvin, 5200 Lumen, CRI90, light color adjustable. remote control
4389BR	10W	23 x 48 x 135	2200 - 4000 Kelvin, 1300 Lumen, CRI90, light color adjustable. remote control



4386ST

Cable-lift



4140ST



4388ST



4387ST

4865ST



4389ST


Soleil 2

Article	Electrification	L x W x H	Extra information
4140ST	40W	Ø32 x 60-130	2200 - 4000 Kelvin, 4000 Lumen, CRI90, dimmable driver, dim to warm, cable-lift
4386ST	40W + 10W	32 x 76 x 185	2200 - 4000 Kelvin, 6500 Lumen, CRI90, light color adjustable, remote control
4387ST	10W	105 x 180 x 51	2200 - 4000 Kelvin, 1300 Lumen, CRI90, light color adjustable, remote control
4388ST	30W + 10W	35 x 58 x 183	2200 - 4000 Kelvin, 5200 Lumen, CRI90, light color adjustable. remote control
4389ST	10W	23 x 48 x 135	2200 - 4000 Kelvin, 1300 Lumen, CRI90, light color adjustable. remote control
4865ST	10W	20 x 70 x 84	2200 - 4000 Kelvin, 1300 Lumen, CRI90, light color adjustable, remote control














Zenith 2

Article	Electrification	L x W x H	Extra information
4394ZW	30W + 8W	28 x 45 x 185	2200 - 4000 Kelvin, 4940 Lumen, CRI90, push dimmer, light color adjustable, remote control
4395ZW	8W	28 x 43 x 135	2200 - 4000 Kelvin, 1040 Lumen, CRI90, push dimmer, light color adjustable, remote control
4396ZW	8W	Ø15 x 15	2200 - 4000 Kelvin, 1040 Lumen, CRI90, push dimmer, light color adjustable, remote control
4397ZW	8W	15 x 31 x 38	2200 - 4000 Kelvin, 1040 Lumen, CRI90, push dimmer, light color adjustable, remote control
4398ZW	8W	28 x 43 x 135	2200 - 4000 Kelvin, 1040 Lumen, CRI90, push dimmer, light color adjustable, remote control rechargeable, usage time 8 hours

4398ZW is rechargeable







4393ZW





4392ZW

5 YEARS WARRANTY

steinhauer LIGHTING exclusive

BUILD-IN REPLACEABLE LED MODULE BY STEINHAUER LIGHTING

COLOUR ADJUSTABLE



4391ZW



4390ZW

Zenith 2

Article	Electrification	L x W x H	Extra information
4390ZW	40W + 8W	28 x 75 x 185	2200 - 4000 Kelvin, 6240 Lumen, CRI90, push dimmer, light color adjustable, remote control
4391ZW	8W	25 x 60 x 135	2200 - 4000 Kelvin, 1040 Lumen, CRI90, push dimmer, light color adjustable, remote control
4392ZW	8W	12 x 53 x 30	2200 - 4000 Kelvin, 1040 Lumen, CRI90, push dimmer, light color adjustable, remote control
4393ZW	8W	15 x 28 x 50	2200 - 4000 Kelvin, 1040 Lumen, CRI90, push dimmer, light color adjustable, remote control

4394BR



4395BR



4396BR

4397BR









Zenith 2

Article	Electrification	L x W x H	Extra information
4394BR	30W + 8W	28 x 45 x 185	2200 - 4000 Kelvin, 4940 Lumen, CRI90, push dimmer, light color adjustable, remote control
4395BR	8W	28 x 43 x 135	2200 - 4000 Kelvin, 1040 Lumen, CRI90, push dimmer, light color adjustable, remote control
4396BR	8W	Ø15 x 15	2200 - 4000 Kelvin, 1040 Lumen, CRI90, push dimmer, light color adjustable, remote control
4397BR	8W	15 x 31 x 38	2200 - 4000 Kelvin, 1040 Lumen, CRI90, push dimmer, light color adjustable, remote control



4391BR

4393BR

4398BR

4398BR is rechargeable



2 batteries LI Ion, 3,7V/8000mAh, 29,6Wh.



Floor stand battery charger

Zenith 2

Article	Electrification	L x W x H	Extra information
4390BR	40W + 8W	28 x 75 x 185	2200 - 4000 Kelvin, 6240 Lumen, CRI90, push dimmer, light color adjustable, remote control
4391BR	8W	25 x 60 x 135	2200 - 4000 Kelvin, 1040 Lumen, CRI90, push dimmer, light color adjustable , remote control
4392BR	8W	12 x 53 x 30	2200 - 4000 Kelvin, 1040 Lumen, CRI90, push dimmer, light color adjustable, remote control
4393BR	8W	15 x 28 x 50	2200 - 4000 Kelvin, 1040 Lumen, CRI90, push dimmer, light color adjustable, remote control
4398BR	8W	28 x 43 x 135	2200 - 4000 Kelvin, 1040 Lumen, CRI90, push dimmer, light color adjustable, remote control, rechargeable, usage time 8 hours



4390BR



4392BR











Zenith 2

Article	Electrification	L x W x H	Extra information
4394ST	30W + 8W	28 x 45 x 185	2200 - 4000 Kelvin, 4940 Lumen, CRI90, push dimmer, light color adjustable, remote control
4395ST	8W	28 x 43 x 135	2200 - 4000 Kelvin, 1040 Lumen, CRI90, push dimmer, light color adjustable, remote control
4396ST	8W	Ø15 x 15	2200 - 4000 Kelvin, 1040 Lumen, CRI90, push dimmer, light color adjustable, remote control
4397ST	8W	15 x 31 x 38	2200 - 4000 Kelvin, 1040 Lumen, CRI90, push dimmer, light color adjustable, remote control

BUILD-IN REPLACEABLE LED MODULE BY STEINHAUER LIGHTING

COLOUR ADJUSTABLE

5 YEARS WARRANTY

steinhauer LIGHTING exclusive


4396ST








4395ST


4394ST








steinhauer LIGHTING exclusive

5 YEARS WARRANTY







LED BUILD-IN REPLACEABLE LED MODULE BY STEINHAUER LIGHTING

COLOUR ADJUSTABLE BY STEINHAUER LIGHTING

Zenith 2

Article	Electrification	L x W x H	Extra information
4390ST	40W + 8W	28 x 75 x 185	2200 - 4000 Kelvin, 6240 Lumen, CRI90, push dimmer, light color adjustable, remote control
4391ST	8W	25 x 60 x 135	2200 - 4000 Kelvin, 1040 Lumen, CRI90, push dimmer, light color adjustable, remote control
4392ST	8W	12 x 53 x 30	2200 - 4000 Kelvin, 1040 Lumen, CRI90, push dimmer, light color adjustable, remote control
4393ST	8W	15 x 28 x 50	2200 - 4000 Kelvin, 1040 Lumen, CRI90, push dimmer, light color adjustable, remote control
4398ST	8W	28 x 43 x 135	2200 - 4000 Kelvin, 1040 Lumen, CRI90, push dimmer, light color adjustable, remote control, rechargeable, usage time 8 hours

4398ST is rechargeable




Floor stand battery charger







4396ME



4398ME



4397ME



4394ME

4398ME is rechargeable



2 batteries LI Ion, 3,7V/8000mAh, 29,6Wh.

Floor stand battery charger






4395ME

Zenith 2

Article	Electrification	L x W x H	Extra information
4394ME	30W + 8W	28 x 45 xx 185	2200 - 4000 Kelvin, 4940 Lumen, CRI90, push dimmer, light color adjustable, remote control
4395ME	8W	28 x 43 x 135	2200 - 4000 Kelvin, 1040 Lumen, CRI90, push dimmer, light color adjustable, remote control
4396ME	8W	Ø15 x 15	2200 - 4000 Kelvin, 1040 Lumen, CRI90, push dimmer, light color adjustable, remote control
4397ME	8W	15 x 31 x 38	2200 - 4000 Kelvin, 1040 Lumen, CRI90, push dimmer, light color adjustable, remote control
4398ME	8W	28 x 43 x 135	2200 - 4000 Kelvin, 1040 Lumen, CRI90, push dimmer, light color adjustable, remote control rechargeable, usage time 8 hours





4601BR

BUILT-IN REPLACEABLE LED MODULE
BY STEINHAUER LIGHTING

COLOUR ADJUSTABLE



4602BR

steinhauer LIGHTING

Daphne 2

Article	Electrification	L x W x H	Extra information
4601BR	10W	25 x 58 x 131	2200 - 3000 Kelvin, 1200 Lumen, CRI90, push dimmer, light color adjustable, remote control
4602BR	30W + 10W	28 x 62 x 185	2200 - 3000 Kelvin, 4800 Lumen, CRI90, push dimmer, light color adjustable, remote control



4602ST





4601ST

Daphne 2

Article	Electrification	L x W x H	Extra information
4601ST	10W	25 x 58 x 131	2200 - 3000 Kelvin, 1200 Lumen, CRI90, push dimmer, light color adjustable, remote control
4602ST	30W + 10W	28 x 62 x 185	2200 - 3000 Kelvin, 4800 Lumen, CRI90, push dimmer, light color adjustable, remote control







4601ZW


4602ZW

Daphne 2

Article	Electrification	L x W x H	Extra information
4601ZW	10W	25 x 58 x 131	2200 - 3000 Kelvin, 1200 Lumen, CRI90, push dimmer, light color adjustable, remote control
4602ZW	30W + 10W	28 x 62 x 185	2200 - 3000 Kelvin, 4800 Lumen, CRI90, push dimmer, light color adjustable, remote control


BUILD-IN REPLACEABLE LED MODULE
BY STEINHAUER LIGHTING


COLOUR ADJUSTABLE












Bande

Article	Electrification	L x W x H	Extra information
3994	16,8W + 2 x 4,2W	114 x 8 x 50-125	2200-4000 Kelvin, 2500 Lumen, CRI90, up- and downlight, separately dimmable and adjustable in light color, touch buttons



steinhauer
LIGHTING






3995ZW



3995CA




3995BR



Cable-lift



3995ST








Bande

Article	Electrification	L x W x H	Extra information
3995	21W + 2 x 8,4W	150 x 8 x 50-125	2200-4000 Kelvin, 3800 Lumen, CRI90, up- and downlight, separately dimmable and adjustable in light color, touch buttons





Cable-lift



COLOUR ADJUSTABLE BY STEINHAUER LIGHTING

BUILT-IN REPLACEABLE LED MODULE BY STEINHAUER LIGHTING

steinhauer LIGHTING



Cable-lift






Bande

Article	Electrification	L x W x H	Extra information
4863	2 x 15W + 2 x 8W	90-150 x 8 x 50-125	2200-4000 Kelvin, 4600 Lumen, CRI90, up- and downlight, separately dimmable and adjustable in light color
4906	11W + 2 x 4W	80 x 8 x 50-125	2200-4000 Kelvin, 2000 Lumen, CRI90, up- and downlight, separately dimmable and adjustable in light color

Cable-lift



BUILD-IN REPLACEABLE LED MODULE BY STEINHAUER LIGHTING

COLOUR ADJUSTABLE






Karol

Article	Electrification	L x W x H	Extra information
4733	25W + 25W	120 x 9 x 40-170	2300-2700 Kelvin, 5000 Lumen, CRI90, up- and downlight, separately dimmable and adjustable in light color, cable lift, remote control
4734	30W + 30W	150 x 9 x 40-170	2300-2700 Kelvin,6000 Lumen, CRI90, up- and downlight, separately dimmable and adjustable in light color, cable lift, remote control










BUILT-IN REPLACEABLE LED MODULE
BY STEINHAUER LIGHTING

COLOUR ADJUSTABLE







Zelena

Article	Electrification	L x W x H	Extra information
1482	2 x 4W + 17W	119 x 8 x 82-117	2200-4000 Kelvin, 2500 Lumen, CRI90, push dimmers, up- and down light separately dimmable and light color adjustable



steinhauer
LIGHTING







Zelena

Article	Electrification	L x W x H	Extra information
7971	2 x 4W + 21W	150 x 8 x 82-117	2200-4000 Kelvin, 3700 Lumen, CRI90, push dimmers, up- and down light separately dimmable and light color adjustable









BUILD-IN REPLACEABLE LED MODULE
BY STEINHAUER LIGHTING

COLOUR ADJUSTABLE

steinhauer LIGHTING

Luzhaz

Article	Electrification	L x W x H	Extra information
4133ZW	24W	Ø10 x 157	2700 Kelvin, 2400 Lumen, CRI90, motion dimmer





BUILD-IN REPLACEABLE LED MODULE
BY STEINHAUER LIGHTING

COLOUR ADJUSTABLE



steinhauer LIGHTING



Litho

Article	Electrification	L x W x H	Extra information
2431	9W	60 x 16 x 9	2200-4000 Kelvin, 850 Lumen, CRI90, push dimmer, light color adjustable




2685ZW



2685ST









2684ZW



2684ST

Serenade

Article	Electrification	L x W x H	Extra information
2684	10W	20 x 15 x 60	4-steps dimmable, 2200-2800-3400-4000 Kelvin, 900 Lumen, light color adjustable
2685	10W	20 x 15 x 140	4-steps dimmable, 2200-2800-3400-4000 Kelvin, 900 Lumen, light color adjustable



3365CA



3365ZW



3365CR



3365E

3365CR

Muro

Article	Electrification	L x W x H	Extra information
3365	3W G9	13 x 7,5 x 9	2700 Kelvin, 300 Lumen, dimmable light source






3368E



3367E



3367ZW



3368ZW

Muro

Article	Electrification	L x W x H	Extra information
3367	3W G9	13,5 x 12,5 x 13	2700 Kelvin, 300 Lumen, dimmable light source
3368	2 x 3W G9	20 x 12,5 x 13	2700 Kelvin, 2 x 300 Lumen, dimmable light source





3364CA



3364ZW



3364CR



3366ZW



3098ZW

steinhauer LIGHTING

Muro

Article	Electrification	L x W x H	Extra information
3098ZW	2 x 3W	11 x 11 x 11	2700 Kelvin, 2 x 240 Lumen, dimmable driver, IP44, also suitable for bathroom and outdoor
3364	3W G9	13 x 11 x 8	2700 Kelvin, 300 Lumen, dimmable light source
3366ZW	3W G9	12 x 14 x 12	2700 Kelvin, 300 Lumen, dimmable light source



2563ZI



2562ZI




3086ZI

BUILT-IN REPLACEABLE LED MODULE BY STEINHAUER LIGHTING

Ringlede

Article	Electrification	L x W x H	Extra information
2562ZI	30W	Ø38 x 9	2700 Kelvin, 2800 Lumen, CRI90, dimmable driver
2563ZI	40W	Ø48 x 9	2700 Kelvin, 3600 Lumen, CRI90, dimmable driver
3086ZI	30W	Ø30 x 9	2700 Kelvin, 2800 Lumen, CRI90, dimmable driver
4612ST	40W	Ø57 x 40-170	2700 Kelvin, 4000 Lumen, CRI90, dimmable driver, cable lift







3086GO



2562GO



2563GO



Cable-lift

4612GO

BUILD-IN REPLACEABLE LED MODULE BY STEINHAUER LIGHTING

Ringlede

Article	Electrification	L x W x H	Extra information
2562GO	30W	Ø38 x 9	2700 Kelvin, 2800 Lumen, CRI90, dimmable driver
2563GO	40W	Ø48 x 9	2700 Kelvin, 3600 Lumen, CRI90, dimmable driver
3086GO	30W	Ø30 x 9	2700 Kelvin, 2800 Lumen, CRI90, dimmable driver
4612GO	40W	Ø57 x 40-170	2700 Kelvin, 4000 Lumen, CRI90, dimmable driver, cable lift





2563ZW



2562ZW



3086ZW

Ringlede

Article	Electrification	L x W x H	Extra information
2562ZW	30W	Ø38 x 9	2700 Kelvin, 2800 Lumen, CRI90, dimmable driver
2563ZW	40W	Ø48 x 9	2700 Kelvin, 3600 Lumen, CRI90, dimmable driver
3086ZW	30W	Ø30 x 9	2700 Kelvin, 2800 Lumen, CRI90, dimmable driver
4612ZW	40W	Ø57 x 40-170	2700 Kelvin, 4000 Lumen, CRI90, dimmable driver, cable lift



3086W



2562W



2563W

BUILD-IN REPLACEABLE LED MODULE BY STEINHAUER LIGHTING

Ringlede

Article	Electrification	L x W x H	Extra information
2562W	30W	Ø38 x 9	2700 Kelvin, 2800 Lumen, CRI90, dimmable driver
2563W	40W	Ø48 x 9	2700 Kelvin, 3600 Lumen, CRI90, dimmable driver
3086W	30W	Ø30 x 9	2700 Kelvin, 2800 Lumen, CRI90, dimmable driver
4612W	40W	Ø57 x 40-170	2700 Kelvin, 4000 Lumen, CRI90, dimmable driver, cable lift

Cable-lift

4612W



2563BR



2562BR



3086BR

BUILD-IN REPLACEABLE LED MODULE
BY STEINHAUER LIGHTING

Ringlede

Article	Electrification	L x W x H	Extra information
2562BR	30W	Ø38 x 9	2700 Kelvin, 2800 Lumen, CRI90, dimmable driver
2563BR	40W	Ø48 x 9	2700 Kelvin, 3600 Lumen, CRI90, dimmable driver
3086BR	30W	Ø30 x 9	2700 Kelvin, 2800 Lumen, CRI90, dimmable driver





3691GO



3691ZW



3690ZW



3690GO

BUILD-IN REPLACEABLE LED MODULE
BY STEINHAUER LIGHTING

Ringlede

Article	Electrification	L x W x H	Extra information
3690	20W	Ø28 x 6	2700 Kelvin, 1600 Lumen, CRI90, dimmable driver, top and bottom light
3691	30W	Ø38 x 6	2700 Kelvin, 2400 Lumen, CRI90, dimmable driver, top and bottom light





3502GO

Ringlux

Article	Electrification	L x W x H	Extra information
3502	42W	Ø60 x 50-150	2700 Kelvin, 4200 Lumen, CRI90, dimmable driver, top and bottom light



3502ST

3502ZW

BUILD-IN REPLACEABLE LED MODULE BY STEINHAUER LIGHTING






3676ZW



3675ZW

Ringlux

Article	Electrification	L x W x H	Extra information
3675	60W	Ø80 x 50-190	2700 Kelvin, 5400 Lumen, CRI90, dimmable driver, top and bottom light
3676	80W	Ø100 x 50-190	2700 Kelvin, 7200 Lumen, CRI90, dimmable driver, top and bottom light





3676GO



3675GO

BUILD-IN REPLACEABLE LED MODULE BY STEINHAUER LIGHTING



Ringlux

Article	Electrification	L x W x H	Extra information
4130	40W	50 x 130-210 x 210-240	2200 - 2600 - 3000 Kelvin, 4000 Lumen, CRI90, floor dimmer, top and bottom light





steinhauer
LIGHTING








Ringlux

Article	Electrification	L x W x H	Extra information
4138	10W	30-60 x 25 x 110-140	1000 Lumen, CRI90, touch dimmer, top and bottom light
4139	10W	25-50 x 20 x 40-75	1000 Lumen, CRI90, touch dimmer, top and bottom light





Ringlux

Article	Electrification	L x W x H	Extra information
4134	25W	Ø30 x 5,6	2700 Kelvin, 2500 Lumen, CRI90, dimmable driver, top and bottom light
4135	36W	Ø40 x 5,6	2700 Kelvin, 3600 Lumen, CRI90, dimmable driver, top and bottom light



4135GO



4134GO

4135ST







4134ST



4135ZW




4134ZW



3692ZW





3692GO



4742ZW

Ringlux

Article	Electrification	L x W x H	Extra information
3692	50W	Ø60 x 40-150	2700 Kelvin, 4000 Lumen, CRI90, dimmable driver
4742ZW	48W	Ø60 x 130-210 x 210-240	2200 - 2700 Kelvin, 4800 Lumen, CRI90, floor dimmer, remote conrol



4331ZW



4732ZW

BUILD-IN REPLACEABLE LED MODULE BY STEINHAUER LIGHTING



4332ZW

Golden veil

Article	Electrification	L x W x H	Extra information
4331ZW	35W	Ø40 x 12	2700 Kelvin, 3500 Lumen, back light
4332ZW	48W	Ø60 x 30-125	2700 Kelvin, 4800 Lumen, back light
4732ZW	48W	Ø60 x 12	2700 Kelvin, 4800 Lumen, back light





4367GO



3685GO



3686GO

BUILT-IN REPLACEABLE LED MODULE BY STEINHAUER LIGHTING



3686ZW



3685ZW



4367ZW



3686BR



3685BR



4367BR

Flady

Article	Electrification	L x W x H	Extra information
3685	30W + 6W	Ø40 x 7	2700 Kelvin, 3500 Lumen, CRI90, dimmable driver, top and bottom light
3686	40W + 8W	Ø50 x 7	2700 Kelvin, 4600 Lumen, CRI90, dimmable driver, top and bottom light
4367	16W + 4W	Ø30 x 7	2700 Kelvin, 2000 Lumen, CRI90, dimmable driver, top and bottom light



3686ST





3685ST

4367ST


BUILT-IN REPLACEABLE LED MODULE
BY STEINHAUER LIGHTING

4367W

3685W



3686W





Flady

Article	Electrification	L x W x H	Extra information
3685	30W + 6W	Ø40 x 7	2700 Kelvin, 3500 Lumen, CRI90, dimmable driver, top and bottom light
3686	40W + 8W	Ø50 x 7	2700 Kelvin, 4600 Lumen, CRI90, dimmable driver, top and bottom light
4367	16W + 4W	Ø30 x 7	2700 Kelvin, 2000 Lumen, CRI90, dimmable driver, top and bottom light

BUILD-IN REPLACEABLE LED MODULE
BY STEINHAUER LIGHTING

steinhauer
LIGHTING



7798GO



7797GO



7799GO



7798ZW



7799ZW



7797ZW



7799W



7798W



7797W

Lido

Article	Electrification	L x W x H	Extra information
7797	12W	Ø28 x 6	2700 Kelvin, 1100 Lumen, dimmable driver
7798	18W	Ø36 x 6	2700 Kelvin, 1500 Lumen, dimmable driver
7799	24W	Ø42 x 6	2700 Kelvin, 2200 Lumen, dimmable driver





2564W



2564ZW



2564ST

Lido

Article	Electrification	L x W x H	Extra information
2564	8W	Ø17 x 4	2700 Kelvin, 700 Lumen, dimmable driver



4132ZW



4131ZW



4132W



4131W



Luminix

Article	Electrification	L x W x H	Extra information
4131	15W	Ø20 x 2,5	2700 - 3000 - 3500 Kelvin, 1500 Lumen, CRI90, 4-steps dimmable, IP44
4132	18W	Ø29 x 2,5	2700 - 3000 - 3500 Kelvin, 1800 Lumen, CRI90, 4-steps dimmable, IP44



Reflexion

Article	Electrification	L x W x H	Extra information
2681ME	E27	Ø22 x 22	cable switch
2682ME	E27	Ø15 x 28	cable switch
2683ME	E27	Ø16 x 23	cable switch
3797ME	6 x E27 + Incl. 3 x 4,9W GU10	140 x 44 x 35-150	2200-2700 Kelvin, 1440 Lumen, GU10 dim to warm













3079ZW





3078ZW

Reflexion

Article	Electrification	L x W x H
3078ZW	5 x E27	100 x 30 x 40-200
3079ZW	3 x E27	Ø40 x 30-370


3796ZW


2682ZW






2683ZW


2681ZW

Reflexion

Article	Electrification	L x W x H	Extra information
2681ZW	E27	Ø22 x 22	cable switch
2682ZW	E27	Ø15 x 28	cable switch
2683ZW	E27	Ø16 x 23	cable switch
3796ZW	6 x E27 + Incl. 3 x 4,9W GU10	140 x 44 x 35-150	2200-2700 Kelvin, 1440 Lumen, GU10 dim to warm





3388ZW



3387ZW

Reflexion

Article	Electrification	L x W x H
3387ZW	E27	Ø25 x 17
3388ZW	E27	Ø30 x 19,5





7376ST



Bollique

Article	Electrification	L x W x H
7376ST	5 x E27	Ø60 x 60-350

2730ZW



2730CR



2730CA

steinhauer LIGHTING

Bollique

Article	Electrification	L x W x H
2730	5 x E27	Ø60 x 60-350






3123ZW



3498ZW







3497ZW



4186ZW



3496ZW

Bollique

Article	Electrification	L x W x H
3123ZW	3 x E27	Ø35 x 35-200
3496ZW	E27	Ø20 x 30-150
3497ZW	E27	Ø25 x 30-150
3498ZW	E27	Ø30 x 30-150
4186ZW	E27	Ø40 x 50-180





3800ZW



3798ZW

Bollique

Article	Electrification	L x W x H	Extra Information
3798ZW	6 x E27 + incl. 3 x 4,9W GU10	140 x 55 x 35-150	2200 - 2700 Kelvin, 1440 Lumen, incl. GU10, dim to warm
3800ZW	3 x E27 + incl. 2 x 4,9W GU10	Ø60 x 35-150	2200 - 2700 Kelvin, 960 Lumen, incl. GU10, dim to warm













4846ZW



4847ZW

Bollique

Article	Electrification	L x W x H	Extra Information
4846ZW	6 x E27 + 3 x 4,9W GU10	120 x 55 x 50-150	2200 - 2700 Kelvin, 1440 Lumen, incl. GU10, dim to warm
4847ZW	5 x E27 + 2 x 4,9W GU10	110 x 25 x 40-160	2200 - 2700 Kelvin, 960 Lumen, incl. GU10, dim to warm





3801ME





3799ME

BUILT-IN REPLACEABLE LED MODULE BY STEINHAUER LIGHTING

DIM TO WARM BY STEINHAUER LIGHTING

Bollique

Article	Electrification	L x W x H	Extra Information
3799ME	6 x E27 + incl. 3 x 4,9W GU10	140 x 55 x 35-150	2200 - 2700 Kelvin, 1440 Lumen, GU10 dim to warm
3801ME	3 x E27 + incl. 2 x 4,9W GU10	Ø60 x 35-150	2200 - 2700 Kelvin, 960 Lumen, GU10 dim to warm






2730ME



4186ME

3498ME



3497ME



3496ME








Bollique

Article	Electrification	L x W x H
2730ME	5 x E27	Ø60 x 60-350
3496ME	E27	Ø20 x 30-150
3497ME	E27	Ø25 x 30-150
3498ME	E27	Ø30 x 30-150
4186ME	E27	Ø40 x 50-180



Bollique

Article	Electrification	L x W x H	Extra information
4195ZW	12 x 6W	Ø50 x 60-350	2700 Kelvin, 7200 Lumen, CRI90, dimmable driver, dimmable light source
4196ZW	5 x 6W	Ø60 x 60-350	2700 Kelvin, 3000 Lumen, CRI90, dimmable driver, dimmable light source









Bollique

Article	Electrification	L x W x H	Extra information
4609BR	E14	25 x 15 x 40	cable switch on/off
4610BR	E14	25 x 16 x 46	cable switch on/off
4611BR	3 x E14	Ø40 x 173	cable switch on/off



4611BR



4609BR



4610BR



4611ZW



4609ZW



4610ZW



steinhauer LIGHTING

Bollique

Article	Electrification	L x W x H	Extra information
4609ZW	E14	25 x 15 x 40	cable switch on/off
4610ZW	E14	25 x 16 x 46	cable switch on/off
4611ZW	3 x E14	Ø40 x 173	cable switch on/off



4710ZW



Cable-lift

4714ZW



4709ZW

Volari

Article	Electrification	L x W x H	Extra information
4709ZW	5W	26 x 12 x 50	2300 - 2700 Kelvin, 500 Lumen, push dimmer
4710ZW	5W	35 x 16 x 125	2300 - 2700 Kelvin, 500 Lumen, push dimmer
4714ZW	5W	Ø8 x 50-170	2300 - 2700 Kelvin, 500 Lumen, dimmable driver, dimmable light source, cable-lift







4713ZW



4712ZW



4711ZW

Volari

Article	Electrification	L x W x H	Extra information
4711ZW	2 x 5W	21 x 21 x 157	2300 - 2700 Kelvin, 1000 Lumen, push dimmer
4712ZW	5W	10 x 10 x 16	2300 - 2700 Kelvin, 500 Lumen, dimmable driver
4713ZW	2 x 5W	22 x 10 x 16	2300 - 2700 Kelvin, 1000 Lumen, dimmable driver

steinhauer
LIGHTING



4710ST



4709ST



4714ST



BUILD-IN REPLACEABLE LED MODULE BY STEINHAUER LIGHTING

Volari

Article	Electrification	L x W x H	Extra information
4709ST	5W	26 x 12 x 45	2300 - 2700 Kelvin, 500 Lumen, push dimmer
4710ST	5W	35 x 16 x 120	2300 - 2700 Kelvin, 500 Lumen, push dimmer
4714ST	5W	Ø8 x 50-170	2300 - 2700 Kelvin, 500 Lumen, dimmable driver, dimmable light source



4711ST



4713ST



4712ST



Volari

Article	Electrification	L x W x H	Extra information
4711ST	2 x 5W	21 x 21 x 157	2300 - 2700 Kelvin, 1000 Lumen , push dimmer
4712ST	5W	10 x 10 x 16	2300 - 2700 Kelvin, 500 Lumen, dimmable driver
4713ST	2 x 5W	22 x 10 x 16	2300 - 2700 Kelvin, 1000 Lumen , dimmable driver




4597ME



Cable-lift

4577ME





Cable-lift

4579ME



4594ME



4595ME



4593ME

Alisio

Article	Electrification	L x W x H	Extra information
4577ME	9W	Ø8 x 50-100	2200 - 2700 Kelvin, 990 Lumen, dimmable driver, cable lift
4579ME	5 x 9W	Ø35 x 120	2200 - 2700 Kelvin, 4950 Lumen, dimmable driver, cable lift
4593ME	9W	32 x 12 x 47	2200 - 2700 Kelvin, 990 Lumen, push dimmer
4594ME	9W	25 x 10 x 19	2200 - 2700 Kelvin, 990 Lumen, push dimmer
4595ME	9W	16 x 50 x 122	2200 - 2700 Kelvin, 990 Lumen, push dimmer
4597ME	2 x 9W	48 x 48 x 155	2200 - 2700 Kelvin, 1980 Lumen, push dimmer





Alisio

Article	Electrification	L x W x H	Extra information
4578ME	5 x 9W	90 x 8 x 50 - 100	2200 - 2700 Kelvin, 4950 Lumen, dimmable driver, cable lift
4580ME	8 x 9W	100 x 35 x 50 - 120	2200 - 2700 Kelvin, 7920 Lumen, dimmable driver, cable lift
4581ME	8 x 9W	120 x 18 x 50 - 120	2200 - 2700 Kelvin, 7920 Lumen, dimmable driver, cable lift

steinhauer LIGHTING

BUILD-IN REPLACEABLE LED MODULE BY STEINHAUER LIGHTING

Cable-lift









4594ZW




4595ZW



4593ZW





4597ZW

Alisio

Article	Electrification	L x W x H	Extra information
4593ZW	9W	32 x 12 x 47	2200 - 2700 Kelvin, 990 Lumen, push dimmer
4594ZW	9W	25 x 10 x 19	2200 - 2700 Kelvin, 990 Lumen, push dimmer
4595ZW	9W	16 x 50 x 122	2200 - 2700 Kelvin, 990 Lumen, push dimmer
4597ZW	2 x 9W	48 x 48 x 155	2200 - 2700 Kelvin, 1980 Lumen, push dimmer




4580ZW



Cable-lift

4579ZW








4581ZW



4577ZW



4578ZW

Alisio

Article	Electrification	L x W x H	Extra information
4577ZW	9W	Ø8 x 50 - 100	2200 - 2700 Kelvin, 990 Lumen, dimmable driver, cable lift
4578ZW	5 x 9W	90 x 8 x 50 - 100	2200 - 2700 Kelvin, 4950 Lumen, dimmable driver, cable lift
4579ZW	5 x 9W	Ø35 x 50 - 120	2200 - 2700 Kelvin, 4950 Lumen, dimmable driver, cable lift
4580ZW	8 x 9W	100 x 35 x 50 - 120	2200 - 2700 Kelvin, 7920 Lumen, dimmable driver, cable lift
4581ZW	8 x 9W	120 x 18 x 50 - 120	2200 - 2700 Kelvin, 7920 Lumen, dimmable driver, cable lift

BUILD-IN REPLACEABLE LED MODULE BY STEINHAUER LIGHTING



3865ZW



3864ZW





3865BR



3864BR

steinhauer LIGHTING

Glaslic

Article	Electrification	L x W x H	Extra information
3864	E27	16 x 26 x 20	on/off switch
3865	2 x E27	40 x 16 x 27	



3103ZW

Ancilla

Article	Electrification	L x W x H	Extra information
3101	E27	Ø14,5 x 26	touch on/off
3103	E27	Ø14,5 x 26	touch on/off




3101BR



3101CR



3101ST







3103CA

3102CA



3100BR



3100ST



3102ZW



3100CR

Ancilla

Article	Electrification	L x W x H	Extra information
3100	E27	12 x 12 x 33	touch on/off
3102	E27	12 x 12 x 33	touch on/off



7932BE



7932ST



7932BR





Ancilla

Article	Electrification	L x W x H	Extra information
7932	3W G9	Ø18 x 30	2700 Kelvin, 300 Lumen, touch , light source 3-steps dimmable


6185BR


6186BR


7735BR










7961BR

Ancilla

Article	Electrification	L x W x H	Extra information
6185BR	E27	26 x 15 x 39	pull switch
6186BR	E27	26 x 15 x 39	pull switch
7735BR	E27	27 x 15 x 47-55	pull switch
7961BR	E27	27 x 15 x 47-55	pull switch





Ancilla

Article	Electrification	L x W x H	Extra information
5557ST	2 x E14	Ø30 x 39	cable switch
7933CH	3W G9	Ø18 x 30	2700 Kelvin, 300 Lumen, touch, lightsource 3-steps dimmable



Yorkshire

Article	Electrification	L x W x H	Extra information
7774ZW	E27	Ø17 x 34-61 x 23	cable switch on/off



3298ZW



steinhauer LIGHTING

Tor

Article	Electrification	L x W x H	Extra information
3298ZW	30W	100 x 21 x 40-150	2700 Kelvin, 3000 Lumen, dimmable driver



3867ME

3867ZW



DIM TO WARM BY STEINHAUER LIGHTING

BUILD-IN REPLACEABLE LED MODULE BY STEINHAUER LIGHTING

Tubel

Article	Electrification	L x W x H	Extra information
3867	4,9W GU10	Ø11 x 30-150	2200 - 2700 Kelvin, 480 Lumen, dim to warm, incl. lightsource



4215ZW




4216ZW

BUILD-IN
REPLACEABLE
LED MODULE
BY STEINHAUER LIGHTING

steinhauer
LIGHTING



4857ZW



4333ZW



Downlume

Article	Electrification	L x W x H	Extra information
4215ZW	10W GU10	Ø10 x 45-150	excl. GU10 led lightsource
4216ZW	5 x 10W GU10	100 x 9 x 30-140	excl. GU10 led lightsource
4333ZW	10W GU10	32 x 17 x 131	cable swith on/off, excl. GU10 led lightsource
4857ZW	10W GU10	12 x 30 x 35	swith on/off, excl. GU10 led lightsource



4859ZW



4858ZW



4862ZW

BUILT-IN REPLACEABLE LED MODULE
BY STEINHAUER LIGHTING



4861ZW



4860ZW

Downlume

Article	Electrification	L x W x H	Extra information
4858ZW	2 x 10W GU10	Ø25 x 20	excl. GU10 led lightsource
4859ZW	3 x 10W GU10	Ø30 x 20	excl. GU10 led lightsource
4860ZW	10W GU10	10 x 10 x 20	excl. GU10 led lightsource
4861ZW	2 x 10W GU10	30 x 10 x 20	excl. GU10 led lightsource
4862ZW	3 x 10W GU10	50 x 10 x 20	excl. GU10 led lightsource



7906ST



7904ST

7902ST



7901ST



3094ST



7903ST

Natasja

Article	Electrification	L x W x H	Extra information
3094ST	4,9W GU10	11 x 35 x 35	2200 - 2700 Kelvin, 480 Lumen, including light source, dim to warm
7901ST	4,9W GU10	8,5 x 12 x 12	2200 - 2700 Kelvin, 480 Lumen, including light source, dim to warm
7902ST	2 x 4,9W GU10	38 x 18 x 12	2200 - 2700 Kelvin, 2 x 480 Lumen, including light sources, dim to warm
7903ST	3 x 4,9W GU10	68 x 18 x 12	2200 - 2700 Kelvin, 3 x 480 Lumen, including light sources, dim to warm
7904ST	4 x 4,9W GU10	90 x 18 x12	2200 - 2700 Kelvin, 4 x 480 Lumen, including light sources, dim to warm
7906ST	6 x 4,9W GU10	134 x 18 x 12	2200 - 2700 Kelvin, 6 x 480 Lumen, including light sources, dim to warm



1731W



1731ST



1731ZW



2488ZW



2488W



2488ST

BATHROOM
IP44



4705W



4705ZW



4705ST



4705BR




DIM TO WARM
BY STEINHAUER LIGHTING

Pelite spot

Article	Electrification	L x W x H	Extra information
1731	GU10	Ø8,5 x 9	excluding light source
2488	GU10	Ø10 x 4,4	excluding light source, IP44
4705	6 W	Ø8 x 4	two dim options, 540 Lumen, dimmable driver, including light source, IP44



7305ST



7305ZW



7305W



7304ST



7304ZW



7304W

Pelite spot

Article	Electrification	L x W x H	Extra information
3371	GU10	Ø10 x 7	excluding light source
7304	GU10	Ø10 x 7	excluding light source
7305	GU10	10 x 10 x 7	excluding light source



3371ZW






3371W



3371ST









Krisip

Article	Electrification	L x W x H
2677	E27	55 x 40-170







4217W



4217ZW





4217GR

Halo Cirque

Article	Electrification	L x W x H
4217	E27	Ø50 x 40-160

















Semicirkel

Article	Electrification	L x W x H
2555ZW	E27	Ø50 x 60-180

Bikkel

Article	Electrification	L x W x H
1452GR	E27	Ø45 x 55-145
7978ZW	E27	Ø32 x 40-130

7834ZW

7834GR




7834B

Bikkel

Article	Electrification	L x W x H
7834	E27	Ø52 x 63-153



7586ZW



7586GR

Bikkel

Article	Electrification	L x W x H
7586	E27	Ø42 x 55-145



7586B

7586PE



7586ST



7586G

Bikkel

Article	Electrification	L x W x H
7586	E27	Ø42 x 55-145









Spring

Article	Electrification	L x W x H	Extra information
3391	E27	Ø14 x 33	on/off switch



6827W



6827ST



6827ZW



6290ST



6290ZW



6290W

Spring

Article	Electrification	L x W x H	Extra information
6290	E27	12,5 x 28-70 x 24	rotary dimmer
6827	E27	12,5 x 23 x 23	cable swith on/off



5972ZW



5971ZW



5973ZW

Pimpernel

Article	Electrification	L x W x H
5971	2 x E14	Ø23 x 60-120
5972	4 x E14	Ø25 x 60-120
5973	E27	Ø16 x 26




5972ZBR



5971BR



5973BR







Pintino

Article	Electrification	L x W x H	Extra information
4125ZW	GU10	16 x 68 x 34	cable swith on/off, excluding light source
4126ZW	GU10	36 x 17 x 133	cable swith on/off, excluding light source









Anthea

Article	Electrification	L x W x H
4325BR	2 x E27	80 x 30 x 80-120
4326BR	3 x E27	110 x 30 x 80-120
4327BR	E27	Ø45 x 50-160



4328BR



4329BR



4330BR

Anthea

Article	Electrification	L x W x H	Extra information
4328BR	E27	16 x 31 x 36	cable swith on/off
4329BR	E27	16 x 26 x 36	cable swith on/off
4330BR	E27	Ø25 x 141	cable swith on/off



3306BR



Belleron

Article	Electrification	L x W x H	Extra information
2779BR	2 x E27	Ø30,5 x 11	
2785BR	2 x E27	Ø29 x 9	
3306BR	E27	Ø25 x 42	





2779BR



2785BR



4528ZW
4221ZW + K2014BS



4523ZW
4220ZW + K2014BS



4538ZW
4222ZW + K2014BS





4459ZW
3085ZW + K2014BS



4456ZW
2995ZW + K2014BS



4501ZW
4129ZW + K2014BS



4461ZW
3332ZW + K2014BS



4498ZW
4128ZW + K2014BS

4494ZW
3821ZW + K2014BS

Nox Light

Article	Electrification	L x W x H	Extra information
2995ZW	E27 + 1W LED	11 x 17,5 x 15	2900 Kelvin, 100 Lumen. 2 x on/off switch
3085ZW	E27	11 x 17,7 x 15	rotary on/off switch
3332ZW	E27	20 x 14 x 51	rotary on/off switch
4128ZW	E27	Ø9 x 15	cable switch on/off
4129ZW	E27	Ø10 x 8	
3821ZW	E27	75 x 30 x 180	rotary switch on/off
4220ZW	E27	Ø40 x 40-320	
4221ZW	E27	110 x 8 x 140	
4222ZW	E27	Ø11 x 135	
K2014BS	E27	Ø23x 14	



4478ZW
3602ZW + K2018BS



4477ZW
3602ZW + K2016BS



4476ZW
3602ZW + K2007BS



4561ZW
7268ZW + K2016BS



4407ZW
1481ZW + K2016BS

Nox Light

Article	Electrification	L x W x H	Extra information
1481ZW	E27	160 x 145-160 x 160	cable switch on/off
3602ZW	E27	Ø11 x 135	
7268ZW	E27	45 x 130-210 x 210-240	cable switch on/off
K2007BS		Ø50 x 22	
K2016BS		Ø60 x 30	
K2018BS		Ø53 x 40	



4145ZW
4129ZW + K2003BS



4144ZW
4129ZW + K2002BS



4146ZW
4129ZW + K2004BS



4147ZW
4129ZW + K2006BS



4151ZW
1481ZW + K2004BS



4753BR = 2574BR+K2003BS



4153ZW
2574ZW + K2003BS



4184ZW
3602ZW + K2002BS



4152ZW
3602ZW + K2003BS



4474ZW
3602ZW + K2004BS



Breeza Beach

Article	Electrification	L x W x H	Extra information
1481ZW	E27	160 x 145-160 x 160	cable switch on/off
2574	E27	120-9 x 40	cable switch on/off
3602ZW	E27	Ø11 x 135	
4129ZW	E27	Ø10 x 8	
K2002BS		Ø60 x 25	
K2003BS		Ø50 x 21	
K2004BS		Ø40 x 17	
K2006BS		Ø15 x 9	




4160ZW
4142ZW + K2004BS



4310BR = 7268BR+K2002BS



4769CA = 7268CA+K2002BS



4159ZW
4141ZW + K2003BS

Breeza Beach

Article	Electrification	L x W x H	Extra information
7268	E27	45 x 130-210 x 210-240	cable switch on/off
4141ZW	E27	35 x 30-66 x 150-165	cable switch on/off
4142ZW	E27	70 -140 x 4 x 45	cable switch on/off
K2002BS		Ø60 x 25	
K2003BS		Ø50 x 21	
K2004BS		Ø40 x 17	

4149ZW
7268ZW + K2002BS



4527ZW
4221ZW + K2006BS



4522ZW
4220ZW + K2006BS



4475ZW
3602ZW + K2006BS



4148ZW
3821ZW + K2006BS

4143ZW
4128ZW + K2006BS



Breeza Beach

Article	Electrification	L x W x H	Extra information
3821ZW	E27	75 x 30 x 180	rotary switch on/off
4128ZW	E27	Ø9 x 15	cable switch on/off
3602ZW	E27	Ø11 x 135	
4220ZW	E27	Ø40 x 40-320	
4221ZW	E27	110 x 8 x 140	
K2006BS		Ø15 x 9	



9329ST
2574ST + K1066RS



4750BR
2574BR + K1066QS

4743BR = 2574BR+K1066FS



4750BR = 2574BR+K1066QS



4751BR = 2574BR+K1066RS



4752BR = 2574BR+K1066ZS



Elegant Classy

Article	Electrification	L x W x H	Extra information
2574	E27	120-9 x 40	cable switch on/off
K1066		Ø50 x 20	

3957ST = 2574ST+K1066YS



3958ZW = 2574ZW+K1066YS



3699ZW = 2574ZW+K1066BS



4336ZW = 2574ZW+K1066FS

8130ST = 2574ST+K1066VS



8133ZW = 2574ZW+K1066VS

8131ST = 2574ST+K1066GS



8134ZW = 2574ZW+K1066GS

8132ST = 2574ST+K1066KS



8135ZW = 2574ZW+K1066KS

8243ST = 2574ST+K1066ZS



8244ZW = 2574ZW+K1066ZS

9328ST = 2574ST+K1066QS




9323ZW = 2574ZW+K1066QS

9329ST = 2574ST+K1066RS




9324ZW = 2574ZW+K1066RS

3823ZW = 3821ZW+K3084GS




3824ZW = 3821ZW+K3084KS




3825ZW = 3821ZW+K3084QS




3826ZW = 3821ZW+K3084RS



3827ZW = 3821ZW+K3084VS




3828ZW = 3821ZW+K3084ZS




3829ZW = 3821ZW+K3084BS



3977ZW = 3821ZW+K26762S



4356ZW = 3821ZW+K3084FS



4495ZW = 3821ZW+K2019BS



4496ZW = 3821ZW+K2021DS





3827ZW
3821ZW + K3084VS

steinhauer LIGHTING

Sparkled Light

Article	Electrification	L x W x H	Extra information
3821ZW	E27	75 x 30 x 180	rotary switch on/off
K26762S		Ø20 x 15	
K2019BS		Ø31 x 18	
K2021DS		Ø31 x 15	
K3084		Ø23x 15	




3753ZW = 3602ZW+K1066BS


3959ST = 3602ST+K1066YS

3960ZW = 3602ZW+K1066YS


4337ZW = 3602ZW+K1066FS


8148ST = 3602ST+K1066VS

8156ZW = 3602ZW+K1066VS


8149ST = 3602ST+K1066GS

8157ZW = 3602ZW+K1066GS


8150ST = 3602ST+K1066KS

8158ZW = 3602ZW+K1066KS


8247ST = 3602ST+K1066ZS


8248ZW = 3602ZW+K1066ZS


9889ST = 3602ST+K1066QS

8154ZW = 3602ZW+K1066QS



9890ST = 3602ST+K1066RS

8155ZW = 3602ZW+K1066RS



Sparkled Light

Article	Electrification	L x W x H	Extra information
3602	E27	Ø11 x 135	
K1066		Ø50 x 20	



8201ST
1481ST+K11130S



8141ZW
1481ZW + K1068KS



3966ST = 1481ST+K1068SS

3967ZW = 1481ZW+K1068SS



3695ZW = 1481ZW+K1068BS



4343ZW = 1481ZW+K1068FS



4408ZW = 1481ZW+K2020BS



8143ST = 1481ST+K1068RS

8137ZW = 1481ZW+K1068RS



8144ST = 1481ST+K1068QS

8138ZW = 1481ZW+K1068QS



8145ST = 1481ST+K1068VS

8139ZW = 1481ZW+K1068VS




8146ST = 1481ST+K1068GS

8140ZW = 1481ZW+K1068GS



8147ST = 1481ST+K1068KS

8141ZW = 1481ZW+K1068KS



8200ST = 1481ST+K10610S

8195ZW = 1481ZW+K10610S



8201ST = 1481ST+K11130S

8196ZW = 1481ZW+K11130S



8246ST = 1481ST+K1068ZS

8245ZW = 1481ZW+K1068ZS

Sparkled Light

Article	Electrification	L x W x H	Extra information
1481	E27	160 x 145-160 x 160	cable switch on/off
K1068		Ø40 x 20	
K11130S		Ø38 x 24	
K10610S		Ø38 x 24	
K2020BS		Ø60 x 25	



7173W
7268W + K1066KS

Sparkled Light

Article	Electrification	L x W x H	Extra information
7268	E27	45 x 130-210 x 210-240	cable switch on/off
K1066		Ø50 x 20	
K10610S		Ø38 x 24	
K2020BS		Ø60 x 25	

4341W = 7268W+K1066FS



4754CA = 7268CA+K1066FS



4759CA = 7268CA+K2020BS

7169W = 7268W+K1066QS



4766CA = 7268CA+K1066QS

7170W = 7268W+K1066RS



4767CA = 7268CA+K1066RS

7171W = 7268W+K1066VS



7172W = 7268W+K1066GS



7173W = 7268W+K1066KS



4765CA = 7268CA+K1066KS

7174W = 7268W+K1066ZS



7348W = 7268W+K10610S



4764CA = 7268CA+K10610S




4754CA
7268CA + K1066FS

4301BR = 7268BR+K10610S



4304BR = 7268BR+K1066QS



4904BR = 7268BR+K1066RS



4314CR = 7268CR+K10610S

4316CR = 7268CR+K1066QS

4305BR = 7268BR+K1066VS



4307BR = 7268BR+K1066ZS



4335BR = 7268BR+K1066FS





4314CR
7268CR + K10610S



4304BR
7268BR + K1066QS

Sparkled light

Article	Electrification	L x W x H	Extra information
7268	E27	42 x 125-165 x 180-210	cable switch on/off
K1066		Ø50 x 20	
K10610S		Ø38 x 24	



8242ZW
7268ZW + K1066ZS

Sparkled light

Article	Electrification	L x W x H	Extra information
7268	E27	45 x 130-210 x 210-240	cable switch on/off
K1066		Ø50 x 20	
K11130S		Ø38 x 24	
K10610S		Ø38 x 24	
K2020BS		Ø60 x 25	


3788ZW = 7268ZW+K1066BS


3963ST = 7268ST+K1066YS

3965ZW = 7268ZW+K1066YS


4342ZW = 7268ZW+K1066FS


4562ZW = 7268ZW+K2020BS


8124ST = 7268ST+K1066VS

8127ZW = 7268ZW+K1066VS


8125ST = 7268ST+K1066GS

8128ZW = 7268ZW+K1066GS


8126ST = 7268ST+K1066KS

8129ZW = 7268ZW+K1066KS


8241ST = 7268ST+K1066ZS

8242ZW = 7268ZW+K1066ZS


9678ST = 7268ST+K10610S

9831ZW = 7268ZW+K10610S


9879ST = 7268ST+K11130S

9878ZW = 7268ZW+K11130S


9903ST = 7268ST+K1066QS

9899ZW = 7268ZW+K1066QS


9904ST = 7268ST+K1066RS

9900ZW = 7268ZW+K1066RS





9903ST
7268ST + K1066QS



4770CA
7268CA + K2013SS



4311BR = 7268BR+K2013SS



4771ZW = 7268ZW+K2013SS

Luma Dark

Article	Electrification	L x W x H	Extra information
7268 K2013SS	E27	45 x 130-210 x 210-240 Ø60 x 22	cable switch on/off



3808ST = 3602ST+K10942S



3809ZW
3602ZW + K10942S



3806ST = 7268ST+K10942S

3807ZW = 7268ZW+K10942S

4185W = 7268W++K10942S

4318CR = 7268CR+K10942S

4755CA = 7268CA+K10942S

4308BR
7268BR + K10942S

Luma Nola

Article	Electrification	L x W x H	Extra information
7268 3602 K10942S	E27 E27	45 x 130-210 x 210-240 Ø11 x 135 Ø60 x 23	cable switch on/off



4405ZW
1481ZW + K2001HS



7508ZW
7268ZW + K2001HS

4449ZW
2574ZW + K2001HS



7506ZW
3602ZW + K2001HS



Maze Natural

Article	Electrification	L x W x H	Extra information
1481ZW	E27	160 x 145-160 x 160	cable switch on/off
2574ZW	E27	120-9 x 40	cable switch on/off
3602ZW	E27	Ø11 x 135	
7268ZW	E27	45 x 130-210 x 210-240	cable switch on/off
K2001HS		Ø60 x 25	



7505ZW
3602ZW + K2000HS



4744BR
2574BR + K2000HS



4448ZW = 2574ZW+K2000HS





4404ZW
1481ZW + K2000HS

steinhauer LIGHTING

Maze Natural

Article	Electrification	L x W x H	Extra information
1481ZW	E27	160 x 145-160 x 160	cable switch on/off
2574	E27	120-9 x 40	cable switch on/off
3602ZW	E27	Ø11 x 135	
7268	E27	45 x 130-210 x 210-240	cable switch on/off
K2000HS		Ø60 x 25	



4686W = 7268W+K2000HS



4768CA = 7268CA+K2000HS



4309BR = 7268BR+K2000HS



7507ZW = 7268ZW+K2000HS




4319CR
7268CR + K2000HS



4678CR
7268CR + K41931S



4762CA = 7268CA+K41931S



4564ZW = 7268ZW+K41931S



4673BR = 7268BR+K41931S



4485ZW
3602ZW + K41931S



4748BR
2574BR + K41931S



4454ZW = 2574ZW+K41931S



4409ZW
1481ZW + K41931S

Vela Lino

Article	Electrification	L x W x H	Extra information
1481ZW	E27	160 x 145-160 x 160	cable switch on/off
2574	E27	120-9 x 40	cable switch on/off
3602ZW	E27	Ø11 x 135	
7268	E27	45 x 130-210 x 210-240	cable switch on/off
K41931S		Ø60 x 30	



4473ST
3602ST + K4193SS



4486ZW = 3602ZW+K4193SS



4403ST
1481ST + K4193SS

4410ZW = 1481ZW+K4193SS



4455ZW = 2574ZW+K4193SS



4749BR = 2574BR+K4193SS



4447ST
2574ST + K4193SS

Vela Lino

Article	Electrification	L x W x H	Extra information
1481	E27	160 x 145-160 x 160	cable switch on/off
2574	E27	120-9 x 40	cable switch on/off
3602	E27	Ø11 x 135	
7268	E27	45 x 130-210 x 210-240	cable switch on/off
K4193SS		Ø60 x 30	



4565ZW = 7268ZW+K4193SS



4674BR = 7268BR+K4193SS



4679CR = 7268CR+K4193SS



4763CA = 7268CA+K4193SS



4559ST
7268ST + K4193SS



4619ZW
1481ZW + K2026QS



4640ZW
3602ZW + K2026QS



4626ZW
2574ZW + K2026QS



4747BR = 2574BR+K2026QS

Silva Alba

Article	Electrification	L x W x H	Extra information
1481ZW	E27	160 x 145-160 x 160	cable switch on/off
2574	E27	120-9 x 40	cable switch on/off
3602ZW	E27	Ø11 x 135	
7268	E27	45 x 130-210 x 210-240	cable switch on/off
K2026QS		Ø60 x 23	



4761CA = 7268CA+K2026QS



4677CR = 7268CR+K2026QS



4691ZW= 7268ZW+K2026QS



4672BR
7268BR + K2026QS



4911ZW
7268ZW + K1059SS

Globe Black

Article	Electrification	L x W x H	Extra information
1481ZW	E27	160 x 145-160 x 160	cable switch on/off
3602ZW	E27	Ø11 x 135	
7268	E27	45 x 130-210 x 210-240	cable switch on/off
K1059SS		Ø40 x 26	



4913ZW
3602ZW + K1059SS



4909ZW
1481ZW + K1059SS

4347ZW = 4141ZW+K1068FS



4348ZW = 4142ZW+K1068FS

4161ZW = 4141ZW+K1068SS



4172ZW = 4142ZW+K1068SS

4163ZW = 4141ZW+K1068RS



4174ZW = 4142ZW+K1068RS

4164ZW = 4141ZW+K1068QS



4175ZW = 4142ZW+K1068QS

4165ZW = 4141ZW+K1068VS



4176ZW = 4142ZW+K1068VS

4167ZW = 4141ZW+K1068GS



4178ZW = 4142ZW+K1068GS

4168ZW = 4141ZW+K1068KS



4179ZW = 4142ZW+K1068KS

4169ZW = 4141ZW+K1068ZS



4180ZW = 4142ZW+K1068ZS

4170ZW = 4141ZW+K1068BS



4181ZW = 4142ZW+K1068BS



4175ZW
4142ZW + K1068QS



4161ZW
4141ZW + K1068SS

steinhauer LIGHTING

Bloeba

Article	Electrification	L x W x H	Extra information
4141ZW	E27	35 x 30-66 x 150-165	cable switch on/off
4142ZW	E27	70 -140 x 4 x 45	cable switch on/off
K1068	E27	Ø40 x 20	



3794ZW = 7396ZW+K7396BS



3986ZW = 7396ZW+K2131SS



4365ZW = 7396ZW+K7396FS



8119ZW = 7396ZW+K7396RS



8120ZW = 7396ZW+K7396QS



8121ZW = 7396ZW+K7396VS



8122ZW = 7396ZW+K7396GS



8123ZW = 7396ZW+K7396KS



8240ZW = 7396ZW+K7396ZS



8240ZW
7396ZW + K7396ZS

Prestige Chic

Article	Electrification	L x W x H	Extra information
7396ZW	E27	80 x 15-45	rotary dimmer
K2131SS		Ø30 x 18	
K7396		Ø30 x 18	

4349ZW
7395ZW + K1068FS



3792ZW = 7395ZW+K1068BS



3976ZW = 7395ZW+K1068SS




4349ZW = 7395ZW+K1068FS



8113ZW = 7395ZW+K1068RS



8115ZW = 7395ZW+K1068VS



8116ZW = 7395ZW+K1068GS



8114ZW = 7395ZW+K1068QS



8117ZW = 7395ZW+K1068KS



8239ZW = 7395ZW+K1068ZS

Prestige Chic

Article	Electrification	L x W x H	Extra information
7395ZW K1068	E27	210 x 30 x 35 Ø40 x 20	cable switch on/off



3743ZW = 3457ZW+K7396BS



4363ZW = 3457ZW+K7396FS



3459ZW = 3457ZW+K7396GS



3460ZW = 3457ZW+K7396KS



3461ZW = 3457ZW+K7396QS



3462ZW = 3457ZW+K7396RS



3463ZW = 3457ZW+K7396VS



3464ZW = 3457ZW+K7396ZS



3981ZW = 3457ZW+K2131SS



3460ZW
3457ZW + K7396KS

Stang

Article	Electrification	L x W x H
3457ZW	3 x E27	120 x 10 x 85-155
K7396		Ø30 x 18
K2131 SS		Ø30 x 18



3863ZW
3843ZW + K7396ZS

3856ZW = 3843ZW+K7396BS



4364ZW = 3843ZW+K7396FS



3858ZW = 3843ZW+K7396GS



3859ZW = 3843ZW+K7396KS



3860ZW = 3843ZW+K7396QS




3861ZW = 3843ZW+K7396RS



3862ZW = 3843ZW+K7396VS



3863ZW = 3843ZW+K7396ZS



3984ZW = 3843ZW+K2131SS



Stang

Article	Electrification	L x W x H	Extra information
3842ZW	E27	15 x 30 x 145	cable switch on/off
3843ZW	E27	10 x 20 x 45	cable switch on/off
K1066		Ø50 x 20	
K7396		Ø30 x 18	
K2131SS		Ø30 x 18	

4338ZW = 3842ZW+K1066FS



3845ZW = 3842ZW+K1066BS



3847ZW = 3842ZW+K1066GS



3848ZW = 3842ZW+K1066KS



3851ZW = 3842ZW+K1066QS



3852ZW = 3842ZW+K1066RS



3853ZW = 3842ZW+K1066VS



3854ZW = 3842ZW+K1066ZS



3962ZW = 3842ZW+K1066YS





3962ZW
3842ZW + K1066YS



4886CA
3332CA + K3084RS

4900BR = 3332BR+K3084FS



4882CA = 3332CA+K3084FS

4901BR = 3332BR+K26762S



4883CA = 3332CA+K26762S



4884CA = 3332CA+K3084KS

4902BR = 3332BR+K3084QS



4885CA = 3332CA+K3084QS

4903BR = 3332BR+K3084RS



4886CA = 3332CA+K3084RS

Stang

Article	Electrification	L x W x H	Extra information
3332	E27	20 x 14 x 51	rotary on/off switch
K26762S		Ø20 x 12	
K3084		Ø20 x 15	



4902BR
3332BR + K3084QS



7121ZW
3332ZW + K3084VS

3715ZW = 3332ZW+K3084BS



4355ZW = 3332ZW+K3084FS



7119ZW = 3332ZW+K3084RS



7120ZW = 3332ZW+K3084QS



7121ZW = 3332ZW+K3084VS



7122ZW = 3332ZW+K3084GS



7123ZW = 3332ZW+K3084KS



7124ZW = 3332ZW+K3084ZS



7195ZW = 3332ZW+K26762S



3705ZW = 2997ZW+K7396BS



4358ZW = 2997ZW+K7396FS



7196ZW = 2997ZW+K2131SS



8217ZW = 2997ZW+K7396RS



8218ZW = 2997ZW+K7396QS



8219ZW = 2997ZW+K7396VS



8220ZW = 2997ZW+K7396GS



8221ZW = 2997ZW+K7396KS



8222ZW = 2997ZW+K7396ZS





8218ZW
2997ZW + K7396QS

Stang

Article	Electrification	L x W x H	Extra information
2997ZW	E27	28 x 18 x 160	rotary on/off switch
3332ZW	E27	20 x 14 x 51	rotary on/off switch
K2131SS		Ø30 x 18	
K26762S		Ø20 x 12	
K3084		Ø20 x 15	
K7396		Ø30 x 18	

4876CA
2997CA + K7396KS

Stang

Article	Electrification	L x W x H	Extra information
2997	E27	28 x 18 x 160	rotary on/off switch
K2131SS		Ø30 x 18	
K7396		Ø30 x 18	

4894BR = 2997BR+K7396FS

4874CA = 2997CA+K7396FS

4895BR = 2997BR+K2131SS

4875CA = 2997CA+K2131SS


4876CA = 2997CA+K7396KS

4896BR = 2997BR+K7396QS

4877CA = 2997CA+K7396QS

4897BR = 2997BR+K7396RS

4878CA = 2997CA+K7396RS



4894BR
2997BR + K7396KS

7197ZW = 3084ZW+K26762S



3707ZW = 3084ZW+K3084BS



4351ZW =3084ZW+K3084FS



8160ZW = 3084ZW+K3084RS



8161ZW = 3084ZW+K3084QS



8162ZW =3084ZW+K3084VS



8163ZW = 3084ZW+K3084GS



8164ZW = 3084ZW+K3084KS



8249ZW =3084ZW+K3084ZS





4351ZW
3084ZW + K3084FS

Stang

Article	Electrification	L x W x H	Extra information
2996ZW	E27	11 x 17,7 x 15	rotary on/off switch
3084ZW	E27	14 x 14 x 30	rotary on/off switch
K2131SS		Ø30 x 18	
K26762S		Ø20 x 15	
K3084		Ø20 x 15	
K7396		Ø30 x 18	

3703ZW = 2996ZW+K7396BS



4357ZW = 2996ZW+K7396FS



7194ZW = 2996ZW+K2131SS



8210ZW = 2996ZW+K7396RS



8211ZW = 2996ZW+K7396QS



8212ZW = 2996ZW+K7396VS




8213ZW = 2996ZW+K7396GS



8214ZW = 2996ZW+K7396KS



8215ZW = 2996ZW+K7396ZS





8215ZW
2996ZW + K7396ZS



4890BR
2995BR + K26762S



4872CA
2995CA + K3084RS

Stang

Article	Electrification	L x W x H	Extra information
2995	E27 + 1W LED	11 x 17,5 x 15	2900 Kelvin, 100 Lumen. 2 x on/off switch
K26762S		Ø20 x 12	
K3084		Ø20 x 15	


4889BR = 2995BR+K3084FS
4868CA = 2995CA+K3084FS


4890BR = 2995BR+K26762S
4869CA = 2995CA+K26762S


4870CA = 2995CA+K3084KS


4891BR = 2995BR+K3084QS
4871CA = 2995CA+K3084QS


4892BR = 2995BR+K3084RS
4872CA = 2995CA+K3084RS


3701ZW = 2995ZW+K3084BS


4350ZW = 2995ZW+K3084FS


7193ZW = 2995ZW+K26762S


8203ZW = 2995ZW+K3084RS


8204ZW = 2995ZW+K3084QS


8205ZW = 2995ZW+K3084VS


8206ZW = 2995ZW+K3084GS


8207ZW = 2995ZW+K3084KS


8208ZW = 2995ZW+K3084ZS



8206ZW
2995ZW + K3084GS


3709ZW = 3085ZW+K3084BS


4352ZW = 3085ZW+K3084FS


7200ZW = 3085ZW+K26762S


8251ZW = 3085ZW+K3084ZS


8172ZW = 3085ZW+K3084RS


8173ZW = 3085ZW+K3084QS


8174ZW = 3085ZW+K3084VS


8175ZW = 3085ZW+K3084GS


8176ZW = 3085ZW+K3084KS



8176ZW
3085ZW + K3084KS

Stang

Article	Electrification	L x W x H	Extra information
2995ZW	E27 + 1W LED	11 x 17,5 x 15	2900 Kelvin, 100 Lumen. 2 x on/off switch
3085ZW	E27	11 x 17,7 x 15	rotary on/off switch
K26762S		Ø20 x 12	
K3084		Ø20 x 15	



4727ZW
4720ZW + K1066VS







Stang

Article	Electrification	L x W x H	Extra information
4720ZW	E27 + 1W LED	Ø50 x 150	2900 Kelvin, 100 Lumen. 2 x on/off switch
K1066		Ø50 x 20	



4800BR
4738BR+K2131SS

4789ZW = 4738ZW+K7396BS



4790ZW = 4738ZW+K7396FS



4799BR = 4738BR+KK7396FS

4791ZW = 4738ZW+K2131SS



4800BR = 4738BR+K2131SS

4792ZW = 4738ZW+K7396GS



4793ZW = 4738ZW+K7396KS



4801BR = 4738BR+K7396KS

4794ZW = 4738ZW+K7396QS



4802BR = 4738BR+K7396QS

4795ZW = 4738ZW+K7396RS



4803BR = 4738BR+K7396RS

4796ZW = 4738ZW+K7396VS



4797ZW = 4738ZW+K7396ZS



Stang

Article	Electrification	L x W x H	Extra information
4738	E27	Ø28 x 152	switch on/off
K7396		Ø30 x 18	
K2131SS		Ø30 x 20	



4790ZW
4738ZW + K7396FS



4804ZW
4739ZW + K7396BS



4815BR
4739BR + K7396KS

Stang

Article	Electrification	L x W x H	Extra information
4739	E27	30 x 15 x 47	switch on/off
K7396		Ø30 x 18	
K2131SS		Ø30 x 20	

4804ZW = 4739ZW+K7396BS



4805ZW = 4739ZW+K7396FS



4813BR = 4739BR+K7396FS

4806ZW = 4739ZW+K7396GS



4807ZW = 4739ZW+K2131SS



4814BR = 4739BR+K2131SS

4808ZW = 4739ZW+K7396KS



4815BR = 4739BR+K7396KS

4809ZW = 4739ZW+K7396QS



4816BR = 4739BR+K7396QS

4810ZW = 4739ZW+K7396RS



4817BR = 4739BR+K7396RS

4811ZW = 4739ZW+K7396VS



4812ZW = 4739ZW+K7396ZS



4830BR
4740BR + K1066RS

4818ZW = 4740ZW+K1066BS



4819ZW = 4740ZW+K1066FS



4827BR = 4740BR+K1066FS

4820ZW = 4740ZW+K1066GS



4821ZW = 4740ZW+K1066KS



4828BR = 4740BR+K1066KS

4822ZW = 4740ZW+K1066QS



4823ZW = 4740ZW+K1066RS



4829BR = 4740BR+K1066QS


4830BR = 4740BR+K1066RS

4824ZW = 4740ZW+K1066VS



4825ZW = 4740ZW+K1066ZS





4825ZW
4740ZW + K1066ZS

Stang

Article	Electrification	L x W x H	Extra information
4740	E27	18 x 30 x 147	switch on/off
K1066		Ø50 x 20	



4844BR
4741BR+K1068RS

4832ZW = 4741ZW+K1068BS



4833ZW = 4741ZW+K1068FS



4841BR = 4741BR+K1068FS

4834ZW = 4741ZW+K1068GS



4835ZW = 4741ZW+K1068KS



4842BR = 4741BR+K1068KS

4836ZW = 4741ZW+K1068QS



4843BR = 4741BR+K1068QS

4837ZW = 4741ZW+K1068RS



4844BR = 4741BR+K1068RS

4838ZW = 4741ZW+K1068VS



4839ZW = 4741ZW+K1068ZS





4835ZW
4741ZW + K1068KS

Stang

Article	Electrification	L x W x H	Extra information
4741	E27 + 3W	Ø40 x 145	2700 Kelvin, 250 Lumen, CRI80, 2 x switch on/off
K1068		Ø40 x 20	





1507ZW



1502ZW



2728ZW



2721ZW




2720ZW

Outdoor collection

Article	Electrification	L x W x H	Extra information
1502ZW	4W GU10	Ø9 x 32	2700 Kelvin, 345 Lumen, GU10 included, IP54
1507ZW	2 x 6,5W	22 x 6,5 x 6,5	2700 Kelvin, 2 x 590 Lumen, IP67
2720ZW	2 x 4W GU10	6,7 x 9 x 15,5	2700 Kelvin, 2 x 345 Lumen, IP44, GU10 included, darkness switch
2721ZW	2 x 4W GU10	6,7 x 9 x 15,5	2700 Kelvin, 2 x 345 Lumen, IP54, GU10 included, darkness switch
2728ZW	2 x 3W	9,8 x 10 x 10	2700 Kelvin, 2 x 240 Lumen, IP54, darkness switch










Outdoor collection

Article	Electrification	L x W x H	Extra information
2726ZW	2 x 4W GU10	9 x 11 x 23	2700 Kelvin, 2 x 345 Lumen, GU10 included, darkness switch, IP44
3820ZW	2 x 3W	11,8 x 13,8 x 10	2700 Kelvin, 2 x 240 Lumen, darkness switch, IP54











1494ZW




1496ZW



1497ZW



1495ZW





1498ZW

Outdoor collection

Article	Electrification	L x W x H	Extra information
1494ZW	4W GU10	9 x 7 x 9	2700 Kelvin, 345 Lumen, GU10 included, IP54
1495ZW	4W GU10	8 x 9 x 6,5	2700 Kelvin, 345 Lumen, GU10 included, IP54
1496ZW	2 x 4W GU10	7 x 9 x 15	2700 Kelvin, 2 x 345 Lumen, GU10 included, IP44
1497ZW	2 x 4W GU10	7 x 9 x 15	2700 Kelvin, 2 x 345 Lumen, GU10 included, IP44
1498ZW	2 x 4W GU10	12,5 x 7,5 x 16	2700 Kelvin, 2 x 345 Lumen, GU10 included, IP54



I15299S





I15300S



I15301S





I15428S



I15537S

Ceiling panels

Article	L x W x H
I15293S	100 x 9 x 2,5
I15294S	140 x 9 x 2,5
I15295S	170 x 9 x 2,5
I15296S	100 x 25 x 2,5
I15297S	140 x 25 x 2,5
I15298S	170 x 25 x 2,5
I15299S	Ø30 x 2,5
I15300S	Ø50 x 2,5
I15301S	Ø70 x 2,5
I15428S	120 x 40 x 3
I15537S	140 x 42 x 3





I15293S



I15294S



I15295S





I15296S



I15297S



I15298S



I15532S

I15533S

I15534S




I15535S



I15536S

Ceiling panels

Article	L x W x H
I15526S	100 x 9 x 2,5
I15527S	140 x 9 x 2,5
I15528S	170 x 9 x 2,5
I15529S	100 x 25 x 2,5
I15530S	140 x 25 x 2,5
I15531S	170 x 25 x 2,5
I15532S	Ø30 x 2,5
I15533S	Ø50 x 2,5
I15534S	Ø70 x 2,5
I15535S	120 x 40 x 3
I15536S	140 x 42 x 3



I15526S



I15527S



I15528S



I15529S

I15530S



I15531S

anne™
lighting



4856B



4856ZW



4856CR



4856W

Mush

Article	Electrification	L x W x H	Extra information
4856	3W	Ø16 x 21	2700 - 5700 Kelvin, 300 lumen, 3 steps color adjustable, push dimmer, rechargeable











Fjorgard

Article	Electrification	L x W x H	Extra information
1702ZW	2 x E27	Ø25 x 155	switch button on/off on top of reflector
4848ZW	E27	Ø20 x 20	on/off switch
4849ZW	2 x E27	40 x 10 x 20	






4112ZW


4110ZW


4109ZW


4111ZW


Preto

Article	Electrification	L x W x H	Extra information
4109ZW	GU10, 10W	Ø9 x 18	excl. light source
4110ZW	GU10, 2 x 10W	41 x 10 x 18	excl. light source
4111ZW	GU10, 10W	Ø15 x 40	excl. light source, cable switch on/off
4112ZW	GU10, 2 x 10W	Ø23 x 161	excl. light source, cable switch on/off





3329ZW



3329E

Flinter

Article	Electrification	L x W x H
3329	E27	Ø50 x 25-165










Frisk

Article	Electrification	L x W x H
7696	E27	Ø50 x 60-210

Clearvoyant

Article	Electrification	L x W x H
7695ZW	E27	Ø41,5 x 60-210





3866ZW

BUILD-IN REPLACEABLE LED MODULE
BY STEINHAUER LIGHTING











1894W

Aura

Article	Electrification	L x W x H	Extra information
1894W	12W	Ø50 x 6	2700 Kelvin, 960 Lumen
3866ZW	12W	Ø50 x 6	2700 Kelvin, 1150 Lumen, dimmable in 4 steps



Bangalore

Article	Electrification	L x W x H
2136B	E27	Ø70 x 80-220



anne™ lighting



LumaFlora

Article	Electrification	L x W x H
4368CR	E27	Ø80 x 25-140





Travino

Article	Electrification	L x W x H
4598CR	E27	Ø21 x 20-160
4599CR	3 x E27	100 x 21 x 20-160





4553CR
4401CR + K7396QS



4558CR
4402CR + K3084QS



Travino

Article	Electrification	L x W x H	
4401CR	E27	Ø10,5 x 36	cable switch on/off
4402CR	E27	Ø11 x 26	cable switch on/off
K3084QS		Ø20 x 15	
K7396QS		Ø30 x 18	





Sable

Article	Electrification	L x W x H
4122CR	E27	Ø25 x 30-150
4123CR	E27	Ø28 x 30-150
4124CR	E27	Ø27 x 40-150

4353ZW = 3126ZW+K3084FS



7202ZW = 3126ZW+K2131SS



8224ZW = 3126ZW+K7396RS



8225ZW = 3126ZW+K7396QS



8226ZW = 3126ZW+K7396VS



8227ZW = 3126ZW+K7396GS



8228ZW = 3126ZW+K7396KS



8229ZW = 3126ZW+K7396ZS





4354ZW = 3127ZW+K3084FS



7203ZW = 3127ZW+K26762S



8231ZW = 3127ZW+K3084RS



8232ZW = 3127ZW+K3084QS



8233ZW = 3127ZW+K3084VS



8234ZW = 3127ZW+K3084GS



8235ZW = 3127ZW+K3084KS





8236ZW = 3127ZW+K3084ZS



Animaux

Article	Electrification	L x W x H	Extra information
3126ZW	E27	20 x 12 x 40,5	cable switch on/off
3127ZW	E27	Ø17 x 31	cable switch on/off
K2131SS		Ø30 x 18	E27 support
K26762S		Ø20 x 15	E27 support
K3084		Ø20 x 15	E27 support
K7396		Ø30 x 18	E27 support



Curve

Article	Electrification	L x W x H	Extra information
4219ZW	E27	Ø48 x 150 x 210	cable switch on/off
K10610S		Ø38 x 24	E27 support
K1066		Ø50 x 20	E27 support
K1059SS		Ø40 x 26	E27 support
K10942S		Ø60 x 22,5	E27 support
K11130S		Ø38 x 28	E27 support
K2000HS		Ø60 x 25	E27 support
K2001HS		Ø60 x 25	E27 support
K2002BS		Ø60 x 25	E27 support
K2013SS		Ø60 x 25	E27 support
K2016BS		Ø60 x 30	E27 support
K2020BS		Ø60 x 25	E27 support
K2026QS		Ø60 x 23	E27 support
K41931S		Ø60 x 30	E27 support
K4193SS		Ø60 x 30	E27 support


4259ZW = 4219ZW+K10610S


4261ZW = 4219ZW+K1066BS


4263ZW = 4219ZW+K1066GS


4264ZW = 4219ZW+K1066KS


4267ZW = 4219ZW+K1066QS


4268ZW = 4219ZW+K1066RS


4269ZW = 4219ZW+K1066VS


4270ZW = 4219ZW+K1066YS



4271ZW = 4219ZW+K1066ZS


4340ZW = 4219ZW+K1066FS


4272ZW = 4219ZW+K10942S


4273ZW = 4219ZW+K2000HS


4274ZW = 4219ZW+K2001HS


4279ZW = 4219ZW+K2013SS


4520ZW = 4219ZW+K41931S


4521ZW = 4219ZW+K4193SS


4642ZW = 4219ZW+K2026QS


4275ZW = 4219ZW+K2002BS


4518ZW = 4219ZW+K2020BS


4517ZW = 4219ZW+K2016BS


4908ZW = 4219ZW+K11130S


4912ZW = 4219ZW+K1059SS



4238ZW = 4218ZW+K1066BS



4240ZW = 4218ZW+K1066GS



4241ZW = 4218ZW+K1066KS



4244ZW = 4218ZW+K1066QS



4245ZW = 4218ZW+K1066RS



4246ZW = 4218ZW+K1066VS



4247ZW = 4218ZW+K1066YS



4248ZW = 4218ZW+K1066ZS



4253ZW = 4218ZW+K20101S



4254ZW = 4218ZW+K2010RS



4255ZW = 4218ZW+K2010SS



4339ZW = 4218ZW+K1066FS



Zig-Zag

Article	Electrification	L x W x H	Extra information
4218ZW	E27	Ø40 x 70 x 173	cable switch on/off
K1066		Ø50 x 20	E27 support
K2010		Ø48 x 19	E27 support



4249ZW = 4218ZW+K10942S



4509ZW = 4218ZW+K2000HS



4510ZW = 4218ZW+K2001HS



4641ZW = 4218ZW+K2026QS



Zig-Zag

Article	Electrification	L x W x H	Extra information
4218ZW	E27	Ø40 x 70 x 173	cable switch on/off
K10942S		Ø60 x 22,5	E27 support
K2000HS		Ø60 x 25	E27 support
K2001HS		Ø60 x 25	E27 support
K2003BS		Ø50 x 21	E27 support
K2026QS		Ø60 x 23	E27 support



7506ZW
3602ZW + K2001HS

Maze

Article	Electrification	L x W x H	Extra information
3602ZW	E27	Ø11 x 20-135	E27 support
4400BE	E14, 10W	Ø32 x 17	E27 support, cable switch on/off
K2000HS		Ø60 x 25	
K2001HS		Ø60 x 25	



4400BE



7505ZW
3602ZW + K2000HS










3128BE



3131BE



3130BE



Maze

Article	Electrification	L x W x H	Extra information
3128BE	E27	Ø40 x 16,5	
3129BE	E27	Ø40 x 16,5	
3130BE	E27	Ø30 x 30	cable switch on/off
3131BE	E27	Ø30 x 30	cable switch on/off



Ropex

Article	Electrification	L x W x H	Extra information
3602ZW	E27	Ø11 x 20-135	
4128ZW	E27	Ø9 x 15	cable switch on/off
4129ZW	E27	Ø10 x 8	
4399CR	E14	20 x 25	cable switch on/off
4738ZW	E27	Ø25 x 155	cable switch on/off
K2021DS		Ø24 x 16	E27 support
K2022DS		Ø50 x 19	E27 support
K2023DS		Ø40 x 16	E27 support
K2024DS		Ø20 x 24	E27 support



4482ZW
3602ZW + K2022DS



4483ZW
3602ZW + K2023DS



4481ZW
3602ZW + K2021DS





4504ZW
4129ZW + K2023DS



4503ZW
4129ZW + K2021DS



4500ZW
4128ZW + K2021DS




4788ZW
4738ZW + K2024DS



4531ZW
4221ZW + K2024DS



4530ZW
4221ZW + K2021DS



4526ZW
4220ZW + K2024DS



4525ZW
4220ZW + K2021DS



4484ZW
3602ZW + K2024DS





Ropex

Article	Electrification	L x W x H	Extra information
3602ZW	E27	Ø11 x 20-135	
4220ZW	5 x E27	Ø40 x 25-320	
4221ZW	5 x E27	110 x 8,5 x 30-140	
K2021DS		Ø24 x 16	E27 support
K2024DS		Ø20 x 24	E27 support









4529ZW
4221ZW + K2019BS



4502ZW
4129ZW + K2019BS



4499ZW
4128ZW + K2019BS



4524ZW
4220ZW + K2019BS

Silva

Article	Electrification	L x W x H	Extra information
4128ZW	E27	Ø9 x 15	cable switch on/off
4129ZW	E27	Ø10 x 8	
4220ZW	5 x E27	Ø40 x 25-320	
4221ZW	5 x E27	110 x 8,5 x 30-140	
K2019BS		Ø31 x 18	E27 support



4480ZW
3602ZW + K2020BS



4479ZW
3602ZW + K2019BS

Silva

Article	Electrification	L x W x H	Extra information
3602ZW	E27	Ø11 x 20-135	
K2019BS		Ø31 x 18	E27 support
K2020BS		Ø60 x 25	E27 support



3680BR



3681BR

Brassi

Article	Electrification	L x W x H
3680BR	E27	24 x 13 x 36
3681BR	E27	Ø42 x 20

MEXLITE™













BrightLine

Article	Electrification	L x W x H	Extra information
4202	50W	119 x 8,5 x 30-150	2700 Kelvin, 5000 Lumen, CRI90, dimmable driver





Danske


Article	Electrification	L x W x H	Extra information
2745	20W	114 x 9 x 20-125	2700 Kelvin, 2000 Lumen, CRI90, Touch dimmer







BUILT-IN REPLACEABLE LED MODULE
BY STEINHAUER LIGHTING



4206ZW




4207ZW

Lumex

Article	Electrification	L x W x H	Extra information
4206ZW	33W	Ø58 x 50-130	2700 Kelvin, 3300 Lumen, CRI90, dimmable driver
4207ZW	26W	Ø38 x 7	2700 Kelvin, 2600 Lumen, CRI90, dimmable driver



4324ZW





Luna-Arc

Article	Electrification	L x W x H	Extra information
4324ZW	38W	180 x 45 x 210	2200 - 3000 - 4000 Kelvin, 4000 Lumen, CRI90, floor switch



3351BR





3351CA

3351CR



3351ST




3351ZW

Platu

Article	Electrification	L x W x H	Extra information
3351	10W	Ø64 x 110-132	2200-2700-4000 Kelvin, 900 Lumen, CRI90, 3 steps color adjustable, push dimmer

2690ZW







2689ZW

Stekk

Article	Electrification	L x W x H	Extra information
2689ZW	8W	22 x 46 x 47-70	2700 Kelvin, 720 Lumen, push dimmer, CRI90, 4-steps dimmable
2690ZW	8W	17 x 52 x 135-170	2700 Kelvin, 720 Lumen, push dimmer, CRI90, 4-steps dimmable



Synna

Article	Electrification	L x W x H	Extra information
1327	5 x 4,5W	90 x 30 x 189	2700 Kelvin, 5 x 500 Lumen, CRI90, Rotary dimmer


1327ST






1327CA



4731ST







4730ST

Kora


Article	Electrification	L x W x H	Extra information
4730	GU10, 4,9W	20 x 14 x 51	2200 - 2700 Kelvin, 355 lumen, Touch dimmer, GU10 included
4731	GU10, 4,9W	24 x 17 x 130	2200 - 2700 Kelvin, 355 lumen, Touch dimmer, GU10 included



4731BR



4730BR







MEXLITE


4851ZW


4607ZW

4850ZW


4606ZW

Lumo

Article	Electrification	L x W x H	Extra information
4606ZW	5W	18 x 12 x 50	2700 Kelvin, 480 lumen, CRI90, Touch dimmer
4607ZW	5W	35 x 16 x 125	2700 Kelvin, 480 lumen, CRI90, Touch dimmer
4608ZW	2 x 5W	21 x 21 x 156	2700 Kelvin, 2 x 480 lumen, CRI90, Touch dimmer
4850ZW	5W	10 x 10 x 16	2700 Kelvin, 480 lumen, CRI90, dimmable driver
4851ZW	2 x 5W	22 x 9 x 16	2700 Kelvin, 2 x 480 lumen, CRI90, dimmable driver



Lumo

Article	Electrification	L x W x H	Extra information
4606ST	5W	18 x 12 x 50	2700 Kelvin, 480 lumen, CRI90, Touch dimmer
4607ST	5W	35 x 16 x 125	2700 Kelvin, 480 lumen, CRI90, Touch dimmer
4608ST	2 x 5W	21 x 21 x 156	2700 Kelvin, 2 x 480 lumen, CRI90, Touch dimmer
4850ST	5W	10 x 10 x 16	2700 Kelvin, 480 lumen, CRI90, dimmable driver
4851ST	2 x 5W	22 x 9 x 16	2700 Kelvin, 2 x 480 lumen, CRI90, dimmable driver

MEXLITE

BUILD-IN REPLACEABLE LED MODULE
BY STEINHAUER LIGHTING

















MEXLITE


4851BR


4607BR

4850BR


4606BR

Lumo

Article	Electrification	L x W x H	Extra information
4606BR	5W	18 x 12 x 50	2700 Kelvin, 480 lumen, CRI90, Touch dimmer
4607BR	5W	35 x 16 x 125	2700 Kelvin, 480 lumen, CRI90, Touch dimmer
4608BR	2 x 5W	21 x 21 x 156	2700 Kelvin, 2 x 480 lumen, CRI90, Touch dimmer
4850BR	5W	10 x 10 x 16	2700 Kelvin, 480 lumen, CRI90, dimmable driver
4851BR	2 x 5W	22 x 9 x 16	2700 Kelvin, 2 x 480 lumen, CRI90, dimmable driver

Rechargeable and cordless reading lamp




GlowGo

Article	Electrification	L x W x H	Extra information
4603	6W	Ø51 x 125	2700 Kelvin, 550 Lumen, CRI90, Touch dimmer

MEXLITE

BUILT-IN REPLACEABLE LED MODULE BY STEINHAUER LIGHTING























5895BR



5895ST



5895ZW


Karl

Article	Electrification	L x W x H	Extra information
5895	10W	Ø51 x 116-146	2700 Kelvin, 800 Lumen, CRI90, Push dimmer

BUILT-IN REPLACEABLE LED MODULE
BY STEINHAUER LIGHTING




7502ZW



7501ZW

Biron

Article	Electrification	L x W x H	Extra information
7500ZW	23W + 8W	27 x 52 x 180	2700 Kelvin, 2000 + 650 Lumen, CRI90, 2x Rotary dimmer
7501ZW	8W	25 x 45 x 140-160	2700 Kelvin, 650 Lumen, CRI90, Push dimmer
7502ZW	8W	17 x 35 x 32-52	2700 Kelvin, 650 Lumen, CRI90, Push dimmer





BUILD-IN REPLACEABLE LED MODULE
BY STEINHAUER LIGHTING



7500ST



1315ST



7502ST

Biron

Article	Electrification	L x W x H	Extra information
1315ST	10W	Ø17 x 36-46	2700 Kelvin, 800 Lumen, CRI90, Rotary dimmer
7500ST	23W + 8W	27 x 52 x 180	2700 Kelvin, 2000 + 650 Lumen, CRI90, 2x Rotary dimmer
7501ST	8W	25 x 45 x 140-160	2700 Kelvin, 650 Lumen, CRI90, Push dimmer
7502ST	8W	17 x 35 x 32-52	2700 Kelvin, 650 Lumen, CRI90, Push dimmer

MEXLITE

7501ST

MEXLITE


LED
BUILD-IN REPLACEABLE LED MODULE
BY STEINHAUER LIGHTING



7500BR



1315BR



7501BR



7502BR

Biron

Article	Electrification	L x W x H	Extra information
1315BR	10W	Ø17 x 36-46	2700 Kelvin, 800 Lumen, CRI90, Rotary dimmer
7500BR	23W + 8W	27 x 52 x 180	2700 Kelvin, 2000 + 650 Lumen, CRI90, 2x Rotary dimmer
7501BR	8W	25 x 45 x 140-160	2700 Kelvin, 650 Lumen, CRI90, Push dimmer
7502BR	8W	17 x 35 x 32-52	2700 Kelvin, 650 Lumen, CRI90, Push dimmer













Pentra

Article	Electrification	L x W x H	Extra information
4855	E14, 5 x 10W	100 x 150 x 210	Rotary dimmer



4119ZW




4118ZW



4120ZW









Prato

Article	Electrification	L x W x H	Extra information
4118ZW	E14	Ø20 x 15	
4119ZW	2 x E14	40 x 15 x 20	
4120ZW	E14	Ø24 x 45	cable switch on/off
4121ZW	2 x E14	Ø40 x 151	cable switch on/off



4121ZW



Oeroe

Article	Electrification	L x W x H	Extra information
4113ZW	E14	Ø19 x 14	
4114ZW	2 x E14	35 x 10 x 19	
4115ZW	3 x E14	57 x 10 x 19	
4116ZW	E14	Ø19 x 18	cable switch on/off
4117ZW	2 x E14	Ø32 x 151	cable switch on/off


4113ZW


4115ZW


4114ZW










4116ZW


7656ZW


7655ZW



7657ZW

Davin

Article	Electrification	L x W x H	Extra information
7655	E14	Ø15,5 x 37,5-68	switch on/off
7656	E14	10 x 60 x 40-83	switch on/off
7657	E14	10 x 29 x 18	switch on/off

MEXLITE



7656G


7657G


7655G



1320ZW



1322ZW



1321ZW


Nove

Article	Electrification	L x W x H	Extra information
1318ZW	E27	Ø42 x 25-125	
1320ZW	E27	Ø18 x 36 x 14	cable switch on/off
1321ZW	E27	Ø18 x 38-75	cable switch on/off
1322ZW	E27	Ø28 x 130-172	cable switch on/off

1318ZW



1320G



1322G



1321G



1318G

Nove

Article	Electrification	L x W x H	Extra information
1318G	E27	Ø42 x 25-125	
1320G	E27	Ø18 x 14	cable switch on/off
1321G	E27	Ø18 x 38-75	cable switch on/off
1322G	E27	Ø28 x 130-172	cable switch on/off


1322BR


1320BR






1321BR

Nove

Article	Electrification	L x W x H	Extra information
1320BR	E27	Ø18 x 14	cable switch on/off
1321BR	E27	Ø18 x 38-75	cable switch on/off
1322BR	E27	Ø28 x 130-172	cable switch on/off





Grazio Glass

Article	Electrification	L x W x H
3492ME	E27	Ø18 x 30-150
3493ME	E27	Ø14 x 30-150
3494ME	E27	Ø18 x 30-150







Study

Article	Electrification	L x W x H	Extra information
3456	E27	Ø15 x 30-54,5	cable switch on/off









Glimsy

Article	Electrification	L x W x H	Extra information
4197ZW	5 x 6W	115 x 22 x 30-170	2700 Kelvin, 2900 Lumen, CRI90, dimmable driver
4198ZW	5 x 6W	Ø40 x 50-380	2700 Kelvin, 2900 Lumen, CRI90, dimmable driver
4199ZW	6W	Ø22 x 50-170	2700 Kelvin, 580 Lumen, CRI90, dimmable driver
4200ZW	6W	Ø14,5 x 50-170	2700 Kelvin, 580 Lumen, CRI90, dimmable driver



BUILD-IN REPLACEABLE LED MODULE
BY STEINHAUER LIGHTING



I15459S



4208ZW



4212ZW



4213ZW

Tenebris

Article	Electrification	L x W x H	Extra information
4208ZW	E14	Ø12 x 16	ceiling and wall lamp
4209ZW	2 x E14	33 x 12 x 22	
4210ZW	3 x E14	56 x 12 x 22	
4211ZW	4 x E14	73 x 12 x 22	
4212ZW	E14	Ø19 x 39	cable switch on/off
4213ZW	2 x E14	Ø28 x 150	cable switch on/off
4214ZW	5 x E14	80 x 30 x 194	rotation dimmer
I15459S		Ø15 x 10	E14 support



4211ZW




4210ZW



4209ZW



4214ZW



7704W




7704ZW



7704RO



7704GR



7704CR

Eden

Article	Electrification	L x W x H
7704	E27	Ø42 x 45-185


















Blackmoon

Article	Electrification	L x W x H
1443ZW	E27	Ø40 x 35-180

Cera

Article	Electrification	L x W x H	Extra information
7647ZW	E14	Ø13 x 33 x 16	cable switch on/off





Bjorr

Article	Electrification	L x W x H
7730W	E27	Ø45 x 30-170
7731W	E27	Ø33 x 40-160



8852BE

MEXLITE



8853BE





Dion

Article	Electrification	L x W x H	Extra information
8852BE	E14	20 x 60 x 40	cable switch on/off
8853BE	E14	20 x 40 x 24	cable switch on/off













Densi

Article	Electrification	L x W x H
7779	E27	Ø47 x 75-160

Gaeve

Article	Electrification	L x W x H
2661ZW	E27	Ø50 x 60-160




1342B


1340GR


1342GR









Lisanne

Article	Electrification	L x W x H
1340	E27	21 x 10 x 8
1342	E27	Ø17 x 8



Buckley

Article	Electrification	L x W x H
1705ZW	4 x E27	100 x 20 x 90-145
2983ZW	4 x E27	100 x 20 x 60-140















Carree

Article	Electrification	L x W x H
7996ZW	E27	25 x 20 x 23
7997ZW	2 x E27	58 x 25 x 23



Bella

Article	Electrification	L x W x H	Extra information
3406BR	E27	Ø45 x 135	pull switch on/off
3407ST	E27	Ø45 x 135	pull switch on/off
K2131SS		Ø30 x 20	E27 support
K58941S		Ø30 x 18	E27 support
K58942S		Ø30 x 18	E27 support
K7396		Ø30 x 18	E27 support

3871BR = 3406BR+K7396QS



3878ST = 3407ST+K7396QS

3872BR = 3406BR+K7396VS



3880ST = 3407ST+K7396VS

3873BR = 3406BR+K7396ZS




3881ST = 3407ST+K7396ZS

3874BR = 3406BR+K2131SS



5894BR = 3406BR +K58941S







3876ST = 3407ST+K7396GS



3877ST = 3407ST+K7396KS



3879ST = 3407ST+K7396RS

3884ZW = 3407ZW+K7396BS




3886ZW = 3407ZW+K7396GS



3887ZW = 3407ZW+K7396KS




3888ZW = 3407ZW+K7396QS



3889ZW = 3407ZW+K7396RS





3890ZW = 3407ZW+K7396VS



3891ZW = 3407ZW+K7396ZS



3892ZW = 3407ZW+K2131SS



4362ZW = 3407ZW+K7396FS



5894ZW = 3407ZW+K5894SS





Bella

Article	Electrification	L x W x H	Extra information
3407ZW	E27	Ø45 x 135	pull switch on/off
K2131SS		Ø30 x 20	E27 support
K5894SS		Ø30 x 18	E27 support
K7396		Ø30 x 18	E27 support

4412ST = 4907ST+K3084GS



4423ZW = 4907ZW+K3084GS

4413ST = 4907ST+K3084KS



4424ZW = 4907ZW+K3084KS

4414ST = 4907ST+K3084QS



4425ZW = 4907ZW+K3084QS

4415ST = 4907ST+K3084RS



4426ZW = 4907ZW+K3084RS

4416ST = 4907ST+K3084VS



4427ZW = 4907ZW+K3084VS

4417ST = 4907ST+K3084ZS



4428ZW = 4907ZW+K3084ZS



4418ZW = 4907ZW+K26762S



4420ZW = 4907ZW+K3084BS



4422ZW = 4907ZW+K3084FS



1563ZW
4907ZW + K1563SS



1563ST
4907ST + K15632S

Noor

Article	Electrification	L x W x H	Extra information
4907	E27	20 x 20 x 56	switch on/off
K1563		Ø20 x 20	E27 support
K26762S		Ø20 x 15	E27 support
K3084		Ø20 x 15	E27 support



Noor

Article	Electrification	L x W x H	Extra information
3403	E27	Ø25 x 133,5	switch on/off
K1564		Ø30 x 30	E27 support
K2131SS		Ø30 x 18	E27 support
K7396		Ø30 x 18	E27 support

1564ZW = 3403ZW+K1564SS



4436ZW = 3403ZW+K2131SS



4438ZW = 3403ZW+K7396BS



4440ZW = 3403ZW+K7396FS



4441ZW = 3403ZW+K7396GS



4430ST = 3403ST+K7396GS

4442ZW = 3403ZW+K7396KS



4431ST = 3403ST+K7396KS

4443ZW = 3403ZW+K7396QS

4432ST = 3403ST+K7396QS

4444ZW = 3403ZW+K7396RS



4433ST = 3403ST+K7396RS

4445ZW = 3403ZW+K7396VS



4434ST = 3403ST+K7396VS

4446ZW = 3403ZW+K7396ZS



4435ST = 3403ST+K7396ZS

1564ST = 3403ST+K15642S





3739ZW = 3409ZW+K1068BS



3895ZW = 3409ZW+K1068GS



3909ST = 3410ST+K1068GS

3896ZW = 3409ZW+K1068KS



3910ST = 3410ST+K1068KS

3897ZW = 3409ZW+K1068QS



3911ST = 3410ST+K1068QS

3898ZW = 3409ZW+K1068RS



3912ST = 3410ST+K1068RS

3899ZW = 3409ZW+K1068VS



3913ST = 3410ST+K1068VS

3900ZW = 3409ZW+K1068ZS



3914ST = 3410ST+K1068ZS



3902ZW = 3409ZW+K1068SS



3906ZW = 3409ZW+K10610S



3919ST = 3410ST+K10610S

3907ZW = 3409ZW+K11130S



3920ST = 3410ST+K11130S





Solva

Article	Electrification	L x W x H	Extra information
3409ZW	E27	35 x 152 x 185	cable switch on/off
3410ST	E27	35 x 152 x 185	cable switch on/off
K10610S		Ø38 x 24	E27 support
K1068		Ø40 x 20	E27 support
K11130S		Ø38 x 24	E27 support

4466ZW = 3409ZW+K2001HS



4345ZW= 3409ZW+K1068FS



4465ZW = 3409ZW+K2000HS



4630ZW = 3409ZW+K2026QS





7977ST
3410ST + K7977QS



7976ZW
3409ZW + K7976SS

Solva

Article	Electrification	L x W x H	Extra information
3409ZW	E27	35 x 152 x 185	cable switch on/off
3410ST	E27	35 x 152 x 185	cable switch on/off
K1068FS		Ø40 x 20	E27 support
K2000HS		Ø60 x 25	E27 support
K2001HS		Ø60 x 25	E27 support
K2026QS		Ø60 x 23	E27 support
K7976SS		Ø40 x 25	E27 support
K7977QS		Ø40 x 25	E27 support



Solva

4156ZW
3409ZW + K2003BS





Solva

4468ZW
3409ZW + K2020BS



Solva

4467ZW
3409ZW + K2016BS

Solva

4469ZW
3409ZW + K2022DS

4098ZW = 3348ZW+K1068BS



4099ZW = 3348ZW+K1068RS



4100ZW = 3348ZW+K1068QS



4102ZW = 3348ZW+K1068ZS



4103ZW = 3348ZW+K1068KS



4104ZW = 3348ZW+K1068VS



4344ZW = 3348ZW+K1068FS



4106ZW = 3348ZW+K1068GS



4107ZW = 3348ZW+K1068SS



7175ZW = 3348ZW+K7976SS



7176ZW = 3348ZW+K7977QS





Triek

Article	Electrification	L x W x H	Extra information
3348ZW	E27	Ø75 x 115-150	cable switch on/off
K1068		Ø40 x 20	E27 support
K7976SS		Ø40 x 25	E27 support
K7977QS		Ø40 x 25	E27 support

4773ZW = 4737ZW+K7396BS



4774ZW = 4737ZW+K7396FS



4783BR = 4737BR+K7396FS

4775ZW = 4737ZW+K2131SS



4784BR = 4737BR+K2131SS

4776ZW = 4737ZW+K7396GS



4777ZW = 4737ZW+K7396KS



4785BR = 4737BR+K7396KS

4778ZW = 4737ZW+K7396QS



4786BR = 4737BR+K7396QS

4779ZW = 4737ZW+K7396RS



4787BR = 4737BR+K7396RS

4780ZW = 4737ZW+K7396VS





4781ZW = 4737ZW+K7396ZS





Forma

Article	Electrification	L x W x H	Extra information
4737	E27	Ø28 x 157	switch on/off
K2131SS		Ø30 x 18	E27 support
K7396		Ø30 x 18	E27 support



4489ZW
3667ZW + K2015BS



4488ZW
3666ZW + K2015BS





4491ZW
3669ZW + K2015BS

4492ZW
3670ZW + K2015BS

Sumba

Article	Electrification	L x W x H	Extra information
3665ZW	E14	Ø12 x 16	ceiling and wall lamp
3666ZW	2 x E14	33 x 12 x 22	
3667ZW	3 x E14	56 x 12 x 22	
3668ZW	4 x E14	73 x 12 x 22	
3669ZW	E14	Ø19 x 39	cable switch on/off
3670ZW	2 x E14	Ø28 x 150	cable switch on/off
3671ZW	5 x E14	80 x 30 x 194	rotation dimmer
K2015BS		Ø12 x 11	E14 support



4490ZW
3668ZW + K2015BS



4493ZW
3671ZW + K2015BS



4487ZW
3665ZW + K2015BS





4282ZW
4220ZW + K2011NS




4369ZW
4129ZW + K2011NS




4287ZW
4221ZW + K2011NS



4384ZW
4128ZW + K2011NS



4297ZW
4222ZW + K2011NS



Silura

Article	Electrification	L x W x H	Extra information
4128ZW	E27	Ø9 x 15	cable switch on/off
4129ZW	E27	Ø10 x 8	
4220ZW	5 x E27	Ø40 x 25-320	
4221ZW	5 x E27	110 x 8,5 x 30-140	
4222ZW	E27	Ø10 x 15-140	
K2011NS		Ø25 x 25	E27 support



4288ZW
4221ZW + K20121S



4370ZW
4129ZW + K20121S




4298ZW
4222ZW + K20121S



4385ZW
4128ZW + K20121S

MEXLITE



4283ZW
4220ZW + K20121S

Silura

Article	Electrification	L x W x H	Extra information
4128ZW	E27	Ø9 x 15	cable switch on/off
4129ZW	E27	Ø10 x 8	
4220ZW	5 x E27	Ø40 x 25-320	
4221ZW	5 x E27	110 x 8,5 x 30-140	
4222ZW	E27	Ø10 x 15-140	
K20121S		Ø25 x 25	E27 support




4383ZW
4220ZW + I15471S

4235ZW
4128ZW + I15471S

Aurelio

Article	Electrification	L x W x H	Extra information
4128ZW	E27	Ø9 x 15	cable switch on/off
4129ZW	E27	Ø10 x 8	
4220ZW	5 x E27	Ø40 x 25-320	
4221ZW	5 x E27	110 x 8,5 x 30-140	
4222ZW	E27	Ø10 x 15-140	
I15471S		Ø30 x 16	



4295ZW
4222ZW + I15471S



4236ZW
4129ZW + I15471S



4286ZW
4221ZW + I15471S



4371ZW
4129ZW + I15465S



4372ZW
4129ZW + I15466S



4290ZW
4222ZW + I15466S



4284ZW
4221ZW + I15465S



4289ZW
4222ZW + I15465S



4280ZW
4221ZW + I15465S + I15466S





4378ZW
4128ZW + I15466S



4377ZW
4128ZW + I15465S

Drovia

Article	Electrification	L x W x H	Extra information
4128ZW	E27	Ø9 x 15	cable switch on/off
4129ZW	E27	Ø10 x 8	
4221ZW	5 x E27	110 x 8,5 x 30-140	
4222ZW	E27	Ø10 x 15-140	
I15465S		Ø22,5 x 33	E27 support
I15466S		Ø15 x 20	E27 support




4291ZW
4222ZW + I15467S



4293ZW
4222ZW + I15469S



4292ZW
4222ZW + I15468S



4294ZW
4222ZW + I15470S

Sferio

Article	Electrification	L x W x H	Extra information
4221ZW	5 x E27	110 x 8,5 x 30-140	
4222ZW	E27	Ø10 x 15-140	
I15467S		Ø15 x 11,7	E27 support
I15468S		Ø20 x 16,6	E27 support
I15469S		Ø25 x 21,9	E27 support
I15470S		Ø30 x 27	E27 support





4285ZW
4221ZW + I15469S



4281ZW
4220ZW + 2x I15467S
I15468S + I15469S + I15470S

Sferio

Article	Electrification	L x W x H	Extra information
4128ZW	E27	Ø9 x 15	cable switch on/off
4129ZW	E27	Ø10 x 8	
4220ZW	5 x E27	Ø40 x 25-320	
I15467S		Ø15 x 11,7	E27 support
I15468S		Ø20 x 16,6	E27 support
I15469S		Ø25 x 21,9	E27 support
I15470S		Ø30 x 27	E27 support



4376ZW
4129ZW + I15470S



4375ZW
4129ZW + I15469S



4374ZW
4129ZW + I15468S



4373ZW
4129ZW + I15467S



4380ZW
4128ZW + I15468S



4381ZW
4128ZW + I15469S



Fez

Article	Electrification	L x W x H	Extra information
2673	8W	Ø7,8 x 8,3	2700 Kelvin, 700 Lumen, CRI90
2674	2x 8W	16 x 8 x 8,3	2700 Kelvin, 2 x 700 Lumen, CRI90

MEXLITE

2673ZW



BUILT-IN REPLACEABLE LED MODULE BY STEINHAUER LIGHTING

2674ZW



2674W





2673W

2673BR



2674BR



MEXLITE

BATHROOM
IP44

DIM TO WARM
BY STEINHAUER LIGHTING



2486ZW



2486W



2487ZW



2487W



3390W





3390ZW



3654ZW



3517ZW

Uprounds

Article	Electrification	L x W x H	Extra information
2486	GU10, 4,9W	Ø10 x 12	2200 - 2700 Kelvin, 480 Lumen, incl. light source , CRI90, IP44
2487	GU10, 2 X 4,9W	Ø24 x 12	2200 - 2700 Kelvin, 2x 480 Lumen, incl. light source , CRI90, IP44
3390	GU10, 4,9W	10 x 25 x 30	2200 - 2700 Kelvin, 480 Lumen, incl. light source , CRI90, Dim to warm
3517ZW	GU10	11 x 22 x 33	Excl. light source, incl. USB A and C port
3654ZW	GU10, 4,9W	16 x 30 x 16	2200 - 2700 Kelvin, 480 Lumen, incl. light source, CRI90, Dim to warm, incl. USB A and C port



2729G



2133G



7968G



7969G



3063G

Gearwood

Article	Electrification	L x W x H
2133G	3 x E27	59 x 19 x 23
2729G	4 x E27	90 x 19 x 23
3063G	3 x E27	Ø38 x 23
7968G	E27	15 x 24 x 17
7969G	2 x E27	32 x 19 x 16



2729GR

MEXLITE



2133GR



3063GR



7969GR



7968GR

Gearwood

Article	Electrification	L x W x H
2133GR	3 x E27	59 x 19 x 23
2729GR	4 x E27	90 x 19 x 23
3063GR	3 x E27	Ø38 x 23
7968GR	E27	15 x 24 x 17
7969GR	2 x E27	32 x 19 x 16







MEXLITE









Gearwood

Article	Electrification	L x W x H
2133W	3 x E27	59 x 19 x 23
2729W	4 x E27	90 x 19 x 23
3063W	3 x E27	Ø38 x 23
7968W	E27	15 x 24 x 17
7969W	2 x E27	32 x 19 x 16

















Gearwood

Article	Electrification	L x W x H
2133	3 x E27	59 x 19 x 23
7968	E27	15 x 24 x 17
7969	2 x E27	32 x 19 x 16









Gearwood

Article	Electrification	L x W x H
2133	3 x E27	59 x 19 x 23
7968	E27	15 x 24 x 17
7969	2 x E27	32 x 19 x 16









Volcan

Article	Electrification	L x W x H	Extra information
3116	E14, 25W	Ø9 x 35	2700 Kelvin, 150 Lumen, incl. light source R39, cable switch on/off
3117	E14, 25W	Ø14 x 37	2700 Kelvin, 150 Lumen, incl. light source R39, cable switch on/off













4188ZW

4188ST



4187ZW

Volcan

Article	Electrification	L x W x H	Extra information
4187	E14, 25W	Ø9 x 35	2700 Kelvin, 150 Lumen, incl. light source R39, cable switch on/off
4188	E14, 25W	Ø14 x 37	2700 Kelvin, 150 Lumen, incl. light source R39, cable switch on/off

4187ST



Belana

Article	Electrification	L x W x H	Extra information
7733BR	E27	Ø27 x 44	pull switch on/off







DUTCH
DESIGN

steinhauer
LIGHTING

anne™
lighting

MEXLITE™

SINCE 1933